

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU PET-JNT	K SKU PET-JNT BATCH # DK85						
PRODUCT NAME Pet Treat: Joint Health	$1 \text{ g} = 10^{-3} \text{ kg} = 10^{3} \text{ mg} = 10^{6}$						
LABORATORY: Columbia Laboratorie	DITATION: OR100028	μg 1 mg/kg = 1 ppm = 1000 ppb					
POTENCY	PER SERVING	PER GRAM	Percent				
Cannabidiol (CBD)	6.63 mg/serving	1.24 mg/g	0.124 %				
Total THC (d9-THC, THCA)	<loq mg="" serving<="" th=""><th><loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq></th></loq>	<loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq>	<loq %<="" th=""></loq>				
Cannabigerol (CBG)	<loq mg="" serving<="" th=""><th><loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq></th></loq>	<loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq>	<loq %<="" th=""></loq>				
Cannabinol (CBN)	<loq mg="" serving<="" th=""><th><loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq></th></loq>	<loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq>	<loq %<="" th=""></loq>				
Cannabichromene (CBC)	<loq mg="" serving<="" th=""><th><loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq></th></loq>	<loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq>	<loq %<="" th=""></loq>				
Tetrahydrocannabinolic Acid (THCA)	<loq mg="" serving<="" th=""><th><loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq></th></loq>	<loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq>	<loq %<="" th=""></loq>				
Delta-9-THC (d9-THC)	0.205 mg/serving	0.0384 mg/g	0.00384%				
Delta-8-THC (d8-THC)	<loq mg="" serving<="" th=""><th><loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq></th></loq>	<loq g<="" mg="" th=""><th><loq %<="" th=""></loq></th></loq>	<loq %<="" th=""></loq>				
HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL				
Arsenic	0.0926 µg/serving	0.0173 µg/g	10 µg/day ^[1]				
Cadmium	<loq serving<="" th="" µg=""><th><loq g<="" th="" µg=""><th>4.1 µg/day ^[1]</th></loq></th></loq>	<loq g<="" th="" µg=""><th>4.1 µg/day ^[1]</th></loq>	4.1 µg/day ^[1]				
Lead	0.152 µg/serving	0.0285 µg/g	3.5 µg/day [2]				
Mercury	<loq serving<="" th="" µg=""><th><loq g<="" th="" µg=""><th>2 µg/day ^[1]</th></loq></th></loq>	<loq g<="" th="" µg=""><th>2 µg/day ^[1]</th></loq>	2 µg/day ^[1]				
PESTICIDES			REGULATORY ACTION LEVEL				
None of the other 59 pesticides tested found above	e limit of detection in the sa	ample.	10 ppb ^[1]				
RESIDUAL SOLVENTS	Results		REGULATORY ACTION LEVEL				
Ethanol	<loq< th=""><th></th><th>50,000 mg/day</th></loq<>		50,000 mg/day				
Heptane	<loq< th=""><th></th><th>50,000 mg/day</th></loq<>		50,000 mg/day				
None of the 34 residual solvents tested found about	ve limit of quantitation in the	e sample.					

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass
Water Activity	Pass



1. American Herbal Pharmacopoeia. (2014). Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control. Washington DC: AHP.

2. US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA.US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA.





Report Number:	21-014642/D002.R000
Report Date:	12/22/2021
ORELAP#:	OR100028
Purchase Order:	
Received:	12/15/21 07:54

Customer:	Etz Hayim Holdings
Product identity:	FORM-DK85-PET-JNT
Client/Metrc ID:	
Laboratory ID:	21-014642-0001

Summary

Analyte per 1g	Result	Limits	Units	Status	CBD Total per 1g	1.24 mg/1g
Δ9 THC per 1g	0 0384		mg/1g mg/1g		THC-Total per 1g	<loq< td=""></loq<>
					(Reported in milli	grams per serving)

Pesticides:

All analytes passing and less than LOQ.

Metals:									
Analyte	Result	Units	Limit	Status	Analyte	Result	Unit	Limit	Status
Lead	0.0285	mg/kg	0.500	pass	Arsenic	0.0173	mg/kg	0.200	pass

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	21-014642/D002.R000				
Report Date:	12/22/2021				
ORELAP#:	OR100028				
Purchase Order:					
Received:	12/15/21 07:54				

Customer:	Etz Hayim Holdings 16427 NE Airport Way PORTLAND 97230 United States of America (USA)
Product identity:	FORM-DK85-PET-JNT
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	21-014642-0001
Evidence of Cooling:	No
Temp:	19.5 °C
Relinquished by:	Client
Serving Size #1:	1 g

Sample Results

Potency per 1g	Method J AOAC 20	015 V98-6 (mod) Ur	nits mg/se Batch: 2	2111266	Analyze: 12/17/21	2:33:00 PM
Analyte	Result	Limits	Units	LOQ	I	Notes
CBC per 1g [†]	< LOQ	r	mg/1g	0.0331		
CBC-A per 1g [†]	< LOQ	r	mg/1g	0.0331		
CBC-Total per 1g [†]	< LOQ	r	mg/1g	0.0621		
CBD per 1g	1.24	r	mg/1g	0.0331		
CBD-A per 1g	< LOQ	r	mg/1g	0.0331		
CBD-Total per 1g	1.24	r	mg/1g	0.0621		
CBDV per 1g [†]	< LOQ	r	mg/1g	0.0331		
CBDV-A per 1g [†]	< LOQ	r	mg/1g	0.0331		
CBDV-Total per 1g [†]	< LOQ	r	mg/1g	0.0618		
CBE per 1g [†]	< LOQ	r	mg/1g	0.0331		
CBG per 1g [†]	< LOQ	r	mg/1g	0.0331		
CBG-A per 1g [†]	< LOQ	r	mg/1g	0.0331		
CBG-Total per 1g [†]	< LOQ	r	mg/1g	0.0618		
CBL per 1g [†]	< LOQ	r	mg/1g	0.0331		
CBL-A per 1g [†]	< LOQ	r	mg/1g	0.0331		
CBL-Total per 1g [†]	< LOQ	r	mg/1g	0.0621		
CBN per 1g	< LOQ	r	mg/1g	0.0331		
CBT per 1g [†]	< LOQ	r	mg/1g	0.0331		
$\Delta 8$ -THCV per 1g [†]	< LOQ	r	mg/1g	0.0331		
$\Delta 8$ -THC per 1g [†]	< LOQ	r	mg/1g	0.0331		
∆9-THC per 1g	0.0384	r	mg/1g	0.0331		
exo-THC per 1g⁺	< LOQ	r	mg/1g	0.0331		
THC-A per 1g	< LOQ	r	mg/1g	0.0331		
THC-Total per 1g	< LOQ	r	mg/1g	0.0621		
THCV per 1g [†]	< LOQ	r	mg/1g	0.0331		
THCV-A per 1g [†]	< LOQ	r	mg/1g	0.0331		
THCV-Total per 1g [†]	< LOQ	r	mg/1g	0.0621		
Total Cannabinoids per 1g	1.28	r	mg/1g			

 Page 2 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400
 OAR 333-007-0430



12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	21-014642/D002.R000
Report Date:	12/22/2021
ORELAP#:	OR100028
Purchase Order:	
Received:	12/15/21 07:54
11182 Analyze	12/16/21 04:03 PM
Result Limits Lo	DQ Status Notes

Pesticides	Method /	AOAC	2007.01 & EN	15662 (mod)	Units mg/kg Batch 21	11182	Analy	ze 12/16/21 04:03 PM
Analyte	Result	Limits	LOQ Status	Notes	Analyte	Result	Limits	LOQ Status Notes
Abamectin	< LOQ	0.50	0.250 pass		Acephate	< LOQ	0.40	0.250 pass
Acequinocyl	< LOQ	2.0	1.00 pass		Acetamiprid	< LOQ	0.20	0.100 pass
Aldicarb	< LOQ	0.40	0.200 pass		Azoxystrobin	< LOQ	0.20	0.100 pass
Bifenazate	< LOQ	0.20	0.100 pass		Bifenthrin	< LOQ	0.20	0.100 pass
Boscalid	< LOQ	0.40	0.200 pass		Carbaryl	< LOQ	0.20	0.100 pass
Carbofuran	< LOQ	0.20	0.100 pass		Chlorantraniliprole	< LOQ	0.20	0.100 pass
Chlorfenapyr	< LOQ	1.0	0.500 pass		Chlorpyrifos	< LOQ	0.20	0.100 pass
Clofentezine	< LOQ	0.20	0.100 pass		Cyfluthrin	< LOQ	1.0	0.500 pass
Cypermethrin	< LOQ	1.0	0.500 pass		Daminozide	< LOQ	1.0	0.500 pass
Diazinon	< LOQ	0.20	0.100 pass		Dichlorvos	< LOQ	1.0	0.500 pass
Dimethoate	< LOQ	0.20	0.100 pass		Ethoprophos	< LOQ	0.20	0.100 pass
Etofenprox	< LOQ	0.40	0.200 pass		Etoxazole	< LOQ	0.20	0.100 pass
Fenoxycarb	< LOQ	0.20	0.100 pass		Fenpyroximate	< LOQ	0.40	0.200 pass
Fipronil	< LOQ	0.40	0.200 pass		Flonicamid	< LOQ	1.0	0.400 pass
Fludioxonil	< LOQ	0.40	0.200 pass		Hexythiazox	< LOQ	1.0	0.400 pass
Imazalil	< LOQ	0.20	0.100 pass		Imidacloprid	< LOQ	0.40	0.200 pass
Kresoxim-methyl	< LOQ	0.40	0.200 pass		Malathion	< LOQ	0.20	0.100 pass
Metalaxyl	< LOQ	0.20	0.100 pass		Methiocarb	< LOQ	0.20	0.100 pass
Methomyl	< LOQ	0.40	0.200 pass		MGK-264	< LOQ	0.20	0.100 pass
Myclobutanil	< LOQ	0.20	0.100 pass		Naled	< LOQ	0.50	0.250 pass
Oxamyl	< LOQ	1.0	0.500 pass		Paclobutrazole	< LOQ	0.40	0.200 pass
Parathion-Methyl	< LOQ	0.20	0.200 pass		Permethrin	< LOQ	0.20	0.100 pass
Phosmet	< LOQ	0.20	0.100 pass		Piperonyl butoxide	< LOQ	2.0	1.00 pass
Prallethrin	< LOQ	0.20	0.200 pass		Propiconazole	< LOQ	0.40	0.200 pass
Propoxur	< LOQ	0.20	0.100 pass		Pyrethrin I (total)	< LOQ	1.0	0.500 pass
Pyridaben	< LOQ	0.20	0.100 pass		Spinosad	< LOQ	0.20	0.100 pass
Spiromesifen	< LOQ	0.20	0.100 pass		Spirotetramat	< LOQ	0.20	0.100 pass
Spiroxamine	< LOQ	0.40	0.200 pass		Tebuconazole	< LOQ	0.40	0.200 pass
Thiacloprid	< LOQ	0.20	0.100 pass		Thiamethoxam	< LOQ	0.20	0.100 pass
Trifloxystrobin	< LOQ	0.20	0.100 pass					

Metals									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Arsenic	0.0173	0.200	mg/kg	0.00992	2111341	12/21/21	AOAC 2013.06 (mod.)	pass	Х
Cadmium	< LOQ	0.200	mg/kg	0.00992	2111341	12/21/21	AOAC 2013.06 (mod.)	pass	Х
Lead	0.0285	0.500	mg/kg	0.00992	2111341	12/21/21	AOAC 2013.06 (mod.)	pass	Х
Mercury	< LOQ	0.100	mg/kg	0.00496	2111341	12/21/21	AOAC 2013.06 (mod.)	pass	Х

Page 3 of 8
<u>www.columbialaboratories.com</u>
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester exception of the samples are consented of the samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.





 Report Number:
 21-014642/D002.R000

 Report Date:
 12/22/2021

 ORELAP#:
 OR100028

 Purchase Order:
 21/2/2021

 Received:
 12/15/21 07:54

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/kg = Milligram per kilogram = parts per million (ppm) mg/1g = Milligram per 1g % = Percentage of sample % wt = μg/g divided by 10,000

Glossary of Qualifiers X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 21-014642/D002.R000 **Report Date:** 12/22/2021 **ORELAP#:** OR100028 Purchase Order: **Received:**

12/15/21 07:54

PIXIS Labs

12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

Cannabis Chain of Custody Record

																	ORELAP	D: 0K100028	
Comp									A	nalys	sis Re	eque	sted					Purchase Order Number:	
Conta Addre Email Phoni Processor's Ucense:		OR 59 compounds		bounds	8													Project Number: Project Name:	
				OR 59 compounds		i-Residue – 379 com		ents				and Mold	and Total Coliform						
Field ID	Date/ Colle	Time	Pesticides – C	Pesticide Mult	Potency	Residual Solve	Water Activit	Moisture	Terpenes	Micro: Yeast	Micro: E.Coli	Heavy Metals	Mycotoxins	Other	Matrix	Weight	Serving size for edibles	5 Comments/Metrc ID	
FORM-DK85-PET-JNT	12/15	735	Х		Х							Х						Laz Nat Discount	
FORM-DK85-PET-JNT	12/15	735								Х	X								
																		run in perallel	
																		(
	1																		
Collected By:	Relinqu	uished	Ву:			Date		Time		Rece	ived b	y:			Date	Tim	ne La	b Use Only: ent Alias:	
Standard (5 day)																	Or	der Number:	
□Rush (3-4 day)										1							Pro	oper Container	
(1.5x Standard)																	Sa	mple Condition	
Priority Rush (2 day)																	Te Sh	inped Via: CL:exit	
(2x Standard)																		ipped the current	

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023 Effective 01/31/2019 Revised 01/31/2019

Page 1 of 2

Evidence of cooling: 🗆 Yes 🛛 No

www.columblalaboratories.com

Page 5 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test resu all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	21-014642/D002.R000
Report Date:	12/22/2021
ORELAP#:	OR100028
Purchase Order:	

Received:

12/15/21 07:54

Revision # 0 00 Con rol CFL D06

Revision Da e 05/31/2019 Effec ive Da e 05/31/2019

Laboratory Quality Control Results												
J AOAC 2015 V9	8-6			Bate	ch ID: 2111266							
Laboratory Cont	rol Sample											
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes					
CBDVA	0.0105	0.01	%	105	85.0 - 115	Acceptable						
CBDV	0.0103	0.01	%	103	85.0 - 115	Acceptable						
CBE	0.0109	0.01	%	109	85.0 - 115	Acceptable						
CBDA	0.0109	0.01	%	109	85.0 - 115	Acceptable						
CBGA	0.0107	0.01	%	107	85.0 - 115	Acceptable						
CBG	0.0100	0.01	%	100	85.0 - 115	Acceptable						
CBD	0.0103	0.01	%	103	85.0 - 115	Acceptable						
THCV	0.00995	0.01	%	99.5	85.0 - 115	Acceptable						
d8THCV	0.0102	0.01	%	102	85.0 - 115	Acceptable						
THCVA	0.0100	0.01	%	100	85.0 - 115	Acceptable						
CBN	0.00990	0.01	%	99.0	85.0 - 115	Acceptable						
exo-THC	0.00883	0.01	%	88.3	85.0 - 115	Acceptable						
d9THC	0.00908	0.01	%	90.8	85.0 - 115	Acceptable						
d8THC	0.00864	0.01	%	86.4	85.0 - 115	Acceptable						
CBL	0.00871	0.01	%	87.1	85.0 - 115	Acceptable						
CBC	0.00874	0.01	%	87.4	85.0 - 115	Acceptable						
THCA	0.0100	0.01	%	100	85.0 - 115	Acceptable						
CBCA	0.0100	0.01	%	100	85.0 - 115	Acceptable						
CBLA	0.00967	0.01	%	96.7	85.0 - 115	Acceptable						
CBT	0.00746	0.01	%	74.6	85.0 - 115	Acceptable	Q6					

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes		
CBDVA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBDV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBE	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBDA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBGA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBG	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBD	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
THCV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
d8THCV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
THCVA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBN	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
exo-THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
d9THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
d8THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBL	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
THCA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBCA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBLA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable			
CBT	<100	0.0006	0/	< 0.0006	Accontable			

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

% - Percent

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	21-014642/D002.R000
Report Date:	12/22/2021
ORELAP#:	OR100028
Purchase Order:	

Received:

12/15/21 07:54

Revision # 0 00 Con rol CFL D06 Revision Da e 05/31/2019 Effec ive Da e 05/31/2019

Laboratory Quality Control Results												
J AOAC 2015 V	98-6				Bate	ch ID: 2111266						
Sample Duplica	te				Sam	ole D 21-0145	97-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes				
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
CBDV	0.00403	0.00391	0.003	%	3.12	< 20	Acceptable					
CBE	0.00746	0.00732	0.003	%	1.81	< 20	Acceptable					
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
CBG	0.00501	0.00500	0.003	%	0.234	< 20	Acceptable					
CBD	0.627	0.629	0.003	%	0.223	< 20	Acceptable					
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
CBN	0.135	0.135	0.003	%	0.113	< 20	Acceptable					
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
CBC	0.00447	0.00449	0.003	%	0.472	< 20	Acceptable					
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable					
CBT	0.00424	0.00374	0.003	%	12.6	< 20	Acceptable					

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

R2 - Sample replica es RPD non-calculable, as only one replica e is wi hin analy ical range. Units of Measure:

% - Percent

Page 7 of 8
<u>www.columbialaboratories.com</u> Page 7 of 8
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester exception of the samples are received by the laboratory.





Report Number: 21-014642/D002.R000 **Report Date:** 12/22/2021 **ORELAP#:** OR100028 **Purchase Order: Received:** 12/15/21 07:54

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 21-014642/D003.R000 **Report Date:** 12/22/2021 **ORELAP#:** OR100028 **Purchase Order: Received:** 12/15/21 07:54

Customer:	Etz Hayim Holdir	ngs								
Product identity:	FORM-DK85-PE	T-JNT								
Client/Metrc ID:										
Laboratory ID:	21-014642-0002									
			Summary							
Microbiology:										
Analyte	Result	Units								
Yeast (RAPID Petrifilm)	20	cfu/g								

Page 1 of 5
<u>www.columbialaboratories.com</u>
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester except on the tester of the samples are received by the laboratory.





Report Number:	21-014642/D003.R000								
Report Date:	12/22/2021								
ORELAP#:	OR100028								
Purchase Order:									
Received:	12/15/21 07:54								

Customer:	Etz Hayim Holdings 16427 NE Airport Way PORTLAND 97230 United States of America (USA)
Product identity: Client/Metrc ID:	FORM-DK85-PET-JNT
Sample Date:	
Laboratory ID:	21-014642-0002
Evidence of Cooling:	No
Temp:	19.5 °C
Relinquished by:	Client

Sample Results

Microbiology									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2111132	12/17/21	AOAC 991.14 (Petrifilm)		Х
Total Coliforms	< LOQ		cfu/g	10	2111132	12/17/21	AOAC 991.14 (Petrifilm)		Х
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2111133	12/18/21	AOAC 2014.05 (RAPID)		Х
Yeast (RAPID Petrifilm)	20		cfu/g	10	2111133	12/18/21	AOAC 2014.05 (RAPID)		Х

Page 2 of 5 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0390





Report Number: 21-014642/D003.R000 Report Date: 12/22/2021 **ORELAP#:** OR100028 Purchase Order: Received: 12/15/21 07:54

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

cfu/g = Colony forming units per gram % wt = μ g/g divided by 10,000

Glossary of Qualifiers X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 5

Test results relate only to the parameters tested and to the samples as received by equirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





Report Number: 21-014642/D003.R000 **Report Date:** 12/22/2021 **ORELAP#:** OR100028 Purchase Order: **Received:**

12/15/21 07:54

PIXIS Labs

12423 NE Whitaker Way Portland OR 97230 p.503-254-1794						Cannabis Chain of Custody Record												Company A Tentamus Company			
Comp									A	nalys	sis Re	ques	ted				Unicon	Purchase Order Number:			
Conta Addre Email Phon Processor's License:					OR 59 compounds uti-Residue – 379 compounds		spunod			4				<i>li</i> and Total Coliform							Project Number: Project Name:
								vents				c and Mold	5							Report Instructions: Send to State - METRC Email Final Results: Fax Final Results Cash/Check/CC/Net 30 Other:	
Field ID	Date/ Colle	Time	Pesticides - Pesticide Mu	Pesticide Mu	Potency	Residual Sol-	Water Activ	Moisture	Terpenes	Micro: Yeast	Micro: E.Co	Heavy Meta	Mycotoxins	Other	Matrix	Weight	Serving size for edible	s Comments/Metrc ID			
FORM-DK85-PET-JNT	12/15	735	х		X							Х						Laz Nat Discount			
FORM-DK85-PET-JNT	12/15	735								Х	X										
									-	-		-		-				run in perallel			
Collected By:	Relinqu	uished	Вү:			Date		Time		Rece	ived b	y:			Date	Tin	ie La	ab Use Only:			
☑Standard (5 day) □Rush (3-4 day)									,					C O P			ent Alias: /der Number: /oper Container				
(1.5x Standard)							÷.										Sa	ample Condition			
																	Sh	hipped Via: Client			
(2x Standard)																	Ev	ridence of cooling: 🗆 Yes 🛛 No			

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023 Effective 01/31/2019 Revised 01/31/2019

Page 1 of 2

www.columblalaboratorles.com

Page 4 of 5

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 21-014642/D003.R000 **Report Date:** 12/22/2021 **ORELAP#:** OR100028 **Purchase Order: Received:** 12/15/21 07:54

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Page 5 of 5
<u>www.columbialaboratories.com</u>
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester except on the tester of the samples are received by the laboratory.