

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU PET-VIT	BATCH # DL45	LOQ: Limit Of Quantitation LOD: Limit Of Detection	
PRODUCT NAME Pet Treat: Vitality	SERVING SIZE 5.67 g	1 g = 10 ⁻³ kg = 10 ³ mg = 10 ⁶ µg 1 mg/kg = 1 ppm = 1000 ppb	
LABORATORY: Columbia Laboratories	OREGON ACCREDITATION: OR100028		

POTENCY	PER SERVING	PER GRAM	Percent
Cannabidiol (CBD)	6.86 mg/serving	1.21 mg/g	0.121 %
Total THC (d9-THC, THCA)	<LOQ mg/serving	<LOQ mg/g	<LOQ %
Cannabigerol (CBG)	<LOQ mg/serving	<LOQ mg/g	<LOQ %
Cannabinol (CBN)	<LOQ mg/serving	<LOQ mg/g	<LOQ %
Cannabichromene (CBC)	<LOQ mg/serving	<LOQ mg/g	<LOQ %
Tetrahydrocannabinolic Acid (THCA)	<LOQ mg/serving	<LOQ mg/g	<LOQ %
Delta-9-THC (d9-THC)	0.194 mg/serving	0.0342 mg/g	0.00342%
Delta-8-THC (d8-THC)	<LOQ mg/serving	<LOQ mg/g	<LOQ %

HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	0.0498 µg/serving	0.00878 µg/g	10 µg/day ^[1]
Cadmium	0.0777 µg/serving	0.0137 µg/g	4.1 µg/day ^[1]
Lead	0.181 µg/serving	0.0319 µg/g	3.5 µg/day ^[2]
Mercury	<LOQ µg/serving	<LOQ µg/g	2 µg/day ^[1]

PESTICIDES	REGULATORY ACTION LEVEL
None of the other 59 pesticides tested found above limit of detection in the sample.	10 ppb ^[1]

RESIDUAL SOLVENTS	Results	REGULATORY ACTION LEVEL
Ethanol	<LOQ	50,000 mg/day
Heptane	<LOQ	50,000 mg/day
None of the 34 residual solvents tested found above limit of quantitation in the sample.		

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass
Water Activity	Pass



1. American Herbal Pharmacopoeia. (2014). Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control. Washington DC: AHP.

2. US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA. US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Customer: Etz Hayim Holdings
Product identity: FORM-DL45-PET-VIT
Client/Metric ID: .
Laboratory ID: 21-014765-0002

Summary

Potency:

Analyte per 1g	Result	Limits	Units	Status	
CBD per 1g	1.21		mg/1g		CBD Total per 1g 1.21 mg/1g
Δ9 THC per 1g	0.0342		mg/1g		THC-Total per 1g <LOQ
(Reported in milligrams per serving)					

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Analyte	Result	Units	Limit	Status	Analyte	Result	Unit	Limit	Status
Lead	0.0319	mg/kg	0.500	pass	Cadmium	0.0137	mg/kg	0.200	pass
Arsenic	0.00878	mg/kg	0.200	pass					



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35



Customer: Etz Hayim Holdings
 16427 NE Airport Way
 PORTLAND 97230
 United States of America (USA)

Product identity: FORM-DL45-PET-VIT

Client/Metric ID: .

Sample Date:

Laboratory ID: 21-014765-0002

Evidence of Cooling: No

Temp: 16.2 °C

Relinquished by: Client

Serving Size #1: 1 g

Sample Results

Potency per 1g					
Method J AOAC 2015 V98-6 (mod)Units mg/se Batch: 2111317 Analyze: 12/21/21 12:07:00 A					
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1g [†]	< LOQ		mg/1g	0.0315	
CBC-A per 1g [†]	< LOQ		mg/1g	0.0315	
CBC-Total per 1g [†]	< LOQ		mg/1g	0.0591	
CBD per 1g	1.21		mg/1g	0.0315	
CBD-A per 1g	< LOQ		mg/1g	0.0315	
CBD-Total per 1g	1.21		mg/1g	0.0591	
CBDV per 1g [†]	< LOQ		mg/1g	0.0315	
CBDV-A per 1g [†]	< LOQ		mg/1g	0.0315	
CBDV-Total per 1g [†]	< LOQ		mg/1g	0.0588	
CBE per 1g [†]	< LOQ		mg/1g	0.0315	
CBG per 1g [†]	< LOQ		mg/1g	0.0315	
CBG-A per 1g [†]	< LOQ		mg/1g	0.0315	
CBG-Total per 1g [†]	< LOQ		mg/1g	0.0588	
CBL per 1g [†]	< LOQ		mg/1g	0.0315	
CBL-A per 1g [†]	< LOQ		mg/1g	0.0315	
CBL-Total per 1g [†]	< LOQ		mg/1g	0.0591	
CBN per 1g	< LOQ		mg/1g	0.0315	
CBT per 1g [†]	< LOQ		mg/1g	0.0315	
Δ8-THCV per 1g [†]	< LOQ		mg/1g	0.0315	
Δ8-THC per 1g [†]	< LOQ		mg/1g	0.0315	
Δ9-THC per 1g	0.0342		mg/1g	0.0315	
exo-THC per 1g [†]	< LOQ		mg/1g	0.0315	
THC-A per 1g	< LOQ		mg/1g	0.0315	
THC-Total per 1g	< LOQ		mg/1g	0.0591	
THCV per 1g [†]	< LOQ		mg/1g	0.0315	
THCV-A per 1g [†]	< LOQ		mg/1g	0.0315	
THCV-Total per 1g [†]	< LOQ		mg/1g	0.0591	
Total Cannabinoids per 1g	1.24		mg/1g		



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Solvents					Residual Solvents by GC/MS					Batch 2111349				
Method					Analyze 12/22/21 10:19 AM									
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes			
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass				
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200					
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass				
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200					
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0					
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass				
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass				
Cyclohexane	< LOQ	3880	200	pass		Ethanol ^l	< LOQ		200					
Ethyl acetate	< LOQ	5000	200	pass		Ethyl benzene	< LOQ		200					
Ethyl ether	< LOQ	5000	200	pass		Ethylene glycol	< LOQ	620	200	pass				
Ethylene oxide	< LOQ	50.0	20.0	pass		Hexanes (sum)	< LOQ	290	150	pass				
Isopropyl acetate	< LOQ	5000	200	pass		Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass				
m,p-Xylene	< LOQ		200			Methanol	< LOQ	3000	200	pass				
Methylene chloride	< LOQ	600	60.0	pass		Methylpropane (Isobutane)	< LOQ		200					
n-Butane	< LOQ		200			n-Heptane	< LOQ	5000	200	pass				
n-Hexane	< LOQ		30.0			n-Pentane	< LOQ		200					
o-Xylene	< LOQ		200			Pentanes (sum)	< LOQ	5000	600	pass				
Propane	< LOQ	5000	200	pass		Tetrahydrofuran	< LOQ	720	100	pass				
Toluene	< LOQ	890	100	pass		Total Xylenes	< LOQ		400					
Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass										



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35



Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2111292 Analyze 12/21/21 09:02 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes	
Arsenic	0.00878	0.200	mg/kg	0.00844	2111462	12/24/21	AOAC 2013.06 (mod.)	pass	X	
Cadmium	0.0137	0.200	mg/kg	0.00844	2111462	12/24/21	AOAC 2013.06 (mod.)	pass	X	
Lead	0.0319	0.500	mg/kg	0.00844	2111462	12/24/21	AOAC 2013.06 (mod.)	pass	X	
Mercury	< LOQ	0.100	mg/kg	0.00422	2111462	12/24/21	AOAC 2013.06 (mod.)	pass	X	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/1g = Milligram per 1g

% = Percentage of sample

% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35



12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

Cannabis Chain of Custody Record

ORELAP ID: OR100028

Field ID		Date/Time Collected		Pesticides - OR 59 compounds	Pesticide Multi-Residue - 379 compounds	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E.Coli and Total Coliform	Heavy Metals	Mycotoxins	Other <i>Solvents</i>	Matrix	Weight	Serving size for edibles	Comments/Metric ID
FORM-DL45-PET-VIT		12/1/21	15:30							X	X				X				Laz Nat Discount
FORM-DL45-PET-VIT		12/1/21	15:30	X		X	X						X						

Collected By:	Relinquished By:	Date	Time	Received by:	Date	Time	Lab Use Only:
<input checked="" type="checkbox"/> Standard (5 day)							Client Alias:
<input type="checkbox"/> Rush (3-4 day) (1.5x Standard)							Order Number:
<input type="checkbox"/> Priority Rush (2 day) (2x Standard)							Proper Container
							Sample Condition
							Temperature: <i>16.2</i>
							Shipped Via: <i>Client</i>
							Evidence of cooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023
Effective 01/31/2019 Revised 01/31/2019

www.pixislabs.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.
Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Rev s o 2 Docume D 3 20
 Legacy D C L-C2 Effec ve

Laboratory Pesticide Quality Control Results

AOAC2007.1 & EN 15662		Units mg/Kg		Batch ID 2111292				
Method blank		Laboratory Control Sample						
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Acephate	0.000	< 0.250		0.939	1.000	93.9	71.2	132
Acequinocyl	0.000	< 1.000		3.658	4.000	91.4	72.3	134
Acetamiprid	0.000	< 0.100		0.394	0.400	98.6	74.2	138
Aldicarb	0.000	< 0.200		0.832	0.800	104.0	88.6	165
Abamectin	0.000	< 0.250		1.049	1.000	104.9	75.9	141
Azoxystrobin	0.000	< 0.100		0.416	0.400	104.1	72.2	134
Bifenazate	0.000	< 0.100		0.406	0.400	101.4	74.3	138
Bifenthrin	0.000	< 0.100		0.400	0.400	99.9	71.3	133
Boscalid	0.000	< 0.200		0.801	0.800	100.2	74.1	138
Carbaryl	0.000	< 0.100		0.392	0.400	98.0	74.2	138
Carbofuran	0.000	< 0.100		0.399	0.400	99.7	74.3	138
Chlorantraniliprol	0.000	< 0.100		0.396	0.400	99.1	81.0	150
Chlorfenapyr	0.000	< 0.500		2.017	2.000	100.9	74.4	138
Chlorpyrifos	0.000	< 0.100		0.427	0.400	106.6	71.9	134
Clofentezine	0.000	< 0.100		0.167	0.400	41.8	42.5	78.9 Q6
Cyfluthrin	0.000	< 0.500		1.951	2.000	97.6	78.3	145
Cypermethrin	0.000	< 0.500		2.087	2.000	104.3	75.7	141
Daminozide	0.027	< 0.500		0.707	2.000	35.4	27.1	50.3
Diazinon	0.000	< 0.100		0.434	0.400	108.6	75.5	140
Dichlorvos	0.000	< 0.500		2.075	2.000	103.8	81.3	151
Dimethoat	0.000	< 0.100		0.396	0.400	98.9	73.6	137
Ethoprophos	0.000	< 0.100		0.419	0.400	104.8	74.0	137
Etofenprox	0.005	< 0.200		0.783	0.800	97.9	73.4	136
Etoxazol	0.000	< 0.100		0.415	0.400	103.6	84.0	156
Fenoxycarb	0.000	< 0.100		0.399	0.400	99.8	72.7	135
Fenpyroximat	0.000	< 0.200		0.829	0.800	103.7	72.8	135
Fipronil	0.000	< 0.200		0.848	0.800	106.0	73.7	137
Fonicamid	0.000	< 0.250		1.220	1.000	122.0	76.2	142
Fludioxonil	0.000	< 0.200		0.879	0.800	109.8	74.9	139
Hexythiazox	0.000	< 0.250		0.940	1.000	94.0	70.5	131
Imazalil	0.000	< 0.100		0.410	0.400	102.6	71.4	133
Imidacloprid	0.000	< 0.200		0.836	0.800	104.5	74.3	138
Kresoxim Methyl	0.000	< 0.200		0.808	0.800	101.0	73.2	136
Malathion	0.000	< 0.100		0.437	0.400	109.3	73.7	137
Metalaxyl	0.000	< 0.100		0.417	0.400	104.3	73.8	137
Methiocalb	0.000	< 0.100		0.423	0.400	105.9	74.5	138
Methomyl	0.000	< 0.200		0.773	0.800	96.7	71.8	133
MGK 264	0.000	< 0.100		0.391	0.400	97.7	75.4	140
Myclobutanil	0.003	< 0.100		0.417	0.400	104.3	72.6	135
Naled	0.000	< 0.250		0.501	1.000	50.1	37.9	70.3
Oxamyl	0.000	< 0.500		1.940	2.000	97.0	72.7	135
Paclobutrazol	0.000	< 0.200		0.816	0.800	102.0	73.5	136
Parathion Methyl	0.000	< 0.200		0.789	0.800	98.6	72.2	134
Permethrin	0.000	< 0.100		0.401	0.400	100.3	74.1	138
Phosmet	0.000	< 0.100		0.408	0.400	102.0	73.0	136
Piperonyl butoxide	0.000	< 0.500		2.086	2.000	104.3	74.8	139
Prallethrin	0.000	< 0.100		0.404	0.400	101.0	71.6	133
Propiconazole	0.000	< 0.200		0.851	0.800	106.4	74.6	139
Propoxur	0.006	< 0.100		0.406	0.400	101.5	73.3	136
Pyrethrins	0.000	< 0.100		0.406	0.413	98.4	67.2	125
Pyridaben	0.000	< 0.100		0.406	0.400	101.4	74.9	139
Spinosad	0.000	< 0.100		0.413	0.388	106.6	75.3	140
Spiromesfen	0.000	< 0.100		0.422	0.400	105.5	74.6	139
Spirotetramat	0.000	< 0.100		0.406	0.400	101.6	71.8	133
Spiroxamine	0.000	< 0.200		0.813	0.800	101.6	72.6	135
ebuconazol	0.000	< 0.200		0.807	0.800	100.9	73.3	136
hiacloprid	0.000	< 0.100		0.395	0.400	98.8	73.6	137
hiamethoxam	0.000	< 0.100		0.398	0.400	99.6	73.8	137
rifloxystrobin	0.000	< 0.100		0.414	0.400	103.5	73.7	137



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Rev s o 2 Docume D 3 20
Legacy D C L-C2 Effec ve

Laboratory Pesticide Quality Control Results

AOAC2007 1 & EN 15662		Units mg/Kg					BatchID 2111292				
Matrix Spike/ Matrix Spike Duplicate Recoveries							Sample D 21-014648-0001				
Analyte	Result	MSRes	MSD Res	Spike	RFD%	Limit	MS%Rec	MSD %Rec	Limits	Notes	
Accephate	0.000	1.339	1.286	1.000	4.0%	< 30	133.9%	128.6%	50 150		
Acetaminocyl	0.000	5.074	5.170	4.000	1.9%	< 30	126.0%	129.2%	50 150		
Acetamidiprid	0.000	0.484	0.471	0.400	2.7%	< 30	121.0%	117.7%	50 150		
Aldicarb	0.000	0.929	0.938	0.800	1.0%	< 30	116.2%	117.3%	50 150		
Abamectin	0.000	0.876	0.849	1.000	3.2%	< 30	87.6%	84.9%	50 150		
Azoxystrobin	0.000	0.447	0.448	0.400	0.2%	< 30	111.7%	111.9%	50 150		
Bifenazate	0.000	0.425	0.423	0.400	0.5%	< 30	106.3%	105.8%	50 150		
Bifenthrin	0.000	0.469	0.481	0.400	2.4%	< 30	117.3%	120.2%	50 150		
Boscalid	0.000	0.784	0.806	0.800	2.8%	< 30	98.0%	100.8%	50 150		
Carbaryl	0.000	0.506	0.530	0.400	4.7%	< 30	126.6%	132.6%	50 150		
Carbofuran	0.000	0.483	0.500	0.400	3.4%	< 30	120.7%	124.9%	50 150		
Chlorantraniliprol	0.000	0.403	0.408	0.400	1.2%	< 30	100.7%	101.9%	50 150		
Chlorfenapyr	0.000	2.028	2.092	2.000	3.1%	< 30	101.4%	104.6%	50 150		
Chlorpyrifos	0.000	0.370	0.370	0.400	0.1%	< 30	92.5%	92.6%	50 150		
Clofentezine	0.000	0.391	0.384	0.400	1.7%	< 30	97.7%	96.1%	50 150		
Cyfluthrin	0.000	2.196	2.206	2.000	0.4%	< 30	109.8%	110.3%	30 150		
Cypermethrin	0.000	1.847	1.806	2.000	2.2%	< 30	92.3%	90.3%	50 150		
Daminozide	0.000	0.068	0.102	2.000	40.2%	< 30	3.4%	5.1%	30 150	R Q	
Diazinon	0.000	0.428	0.447	0.400	4.2%	< 30	107.0%	111.7%	50 150		
Dichlorvos	0.000	2.072	2.278	2.000	9.5%	< 30	103.6%	113.9%	50 150		
Dimethoat	0.000	0.461	0.451	0.400	2.1%	< 30	115.2%	112.8%	50 150		
Ethoprophos	0.000	0.450	0.446	0.400	0.9%	< 30	112.4%	111.4%	50 150		
Etofenprox	0.006	0.939	0.983	0.800	4.7%	< 30	116.6%	122.2%	50 150		
Etoxazol	0.000	0.479	0.472	0.400	1.4%	< 30	119.8%	118.1%	50 150		
Fenoxycarb	0.000	0.447	0.439	0.400	1.9%	< 30	111.8%	109.7%	50 150		
Fenpyroximat	0.000	0.787	0.774	0.800	1.6%	< 30	98.3%	96.8%	50 150		
Fipronil	0.000	1.258	1.243	0.800	1.2%	< 30	157.3%	155.4%	50 150	Q1	
Fonicamid	0.000	1.190	1.031	1.000	14.3%	< 30	119.0%	103.1%	50 150		
Fludioxonil	0.000	0.682	0.696	0.800	2.1%	< 30	85.2%	87.0%	50 150		
Hexythiazox	0.000	2.280	2.313	1.000	1.4%	< 30	228.0%	231.3%	50 150	Q1	
Imazallil	0.000	0.504	0.529	0.400	4.8%	< 30	126.0%	132.2%	50 150		
Imidacloprid	0.000	0.704	0.692	0.800	1.7%	< 30	87.9%	86.5%	50 150		
Kresoxim Methyl	0.000	0.838	0.818	0.800	2.4%	< 30	104.8%	102.3%	50 150		
Malathion	0.000	0.491	0.481	0.400	2.0%	< 30	122.8%	120.3%	50 150		
Metaxalyl	0.000	0.437	0.452	0.400	3.5%	< 30	109.2%	113.1%	50 150		
Methiocarb	0.002	0.446	0.437	0.400	2.1%	< 30	111.1%	108.8%	50 150		
Methomyl	0.000	0.866	0.815	0.800	6.0%	< 30	108.2%	101.9%	50 150		
MGK 264	0.000	0.450	0.483	0.400	6.9%	< 30	112.6%	120.6%	50 150		
Myclobutanil	0.000	0.395	0.387	0.400	2.2%	< 30	98.8%	96.6%	50 150		
Naled	0.000	1.131	1.180	1.000	4.2%	< 30	113.1%	118.0%	50 150		
Oxamyl	0.000	1.991	1.655	2.000	18.4%	< 30	99.6%	82.8%	50 150		
Paclobutrazol	0.000	0.976	0.963	0.800	1.3%	< 30	122.0%	120.4%	50 150		
Parathion Methyl	0.000	1.060	1.129	0.800	6.3%	< 30	132.6%	141.1%	30 150		
Permethrin	0.000	0.375	0.389	0.400	3.7%	< 30	93.8%	97.3%	50 150		
Phosmet	0.000	0.441	0.434	0.400	1.8%	< 30	110.4%	108.4%	50 150		
Piperonyl butoxide	0.000	1.713	1.757	2.000	2.5%	< 30	85.7%	87.8%	50 150		
Prallethrin	0.000	0.566	0.559	0.400	1.3%	< 30	141.5%	139.7%	50 150		
Propiconazole	0.000	0.895	0.913	0.800	2.0%	< 30	111.9%	114.2%	50 150		
Propoxur	0.000	0.486	0.503	0.400	3.4%	< 30	121.4%	125.7%	50 150		
Pyrethrins	0.000	0.396	0.395	0.413	0.3%	< 30	95.9%	95.7%	50 150		
Pyridaben	0.000	0.485	0.489	0.400	0.9%	< 30	121.2%	122.3%	50 150		
Spinosad	0.000	0.431	0.441	0.388	2.3%	< 30	111.1%	113.7%	50 150		
Spiromesfen	0.000	1.007	1.025	0.400	1.8%	< 30	251.8%	256.3%	50 150	Q1	
Spirotetramat	0.000	0.299	0.301	0.400	0.7%	< 30	74.6%	75.1%	50 150		
Spiroxamine	0.000	0.843	0.852	0.800	1.1%	< 30	105.4%	106.5%	50 150		
ebuconazol	0.000	0.829	0.845	0.800	1.9%	< 30	103.6%	105.6%	50 150		
hiacloprid	0.000	0.485	0.462	0.400	4.7%	< 30	121.1%	115.6%	50 150		
hiamethoxam	0.000	0.452	0.409	0.400	9.8%	< 30	112.9%	102.4%	50 150		
rifloxystrobin	0.000	0.418	0.428	0.400	2.5%	< 30	104.4%	107.0%	50 150		

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35



Revision # 0 00 Con rol CFL D06
 Revision Da e 05/31/2019 Effec ive Da e 05/31/2019

Laboratory Quality Control Results

JAOAC2015 V986							
Batch ID: 2111317							
Laboratory Control Sample							
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.00956	0.01	%	95.6	85.0 - 115	Acceptable	
CBDV	0.00956	0.01	%	95.6	85.0 - 115	Acceptable	
CBE	0.0100	0.01	%	100	85.0 - 115	Acceptable	
CBDA	0.0103	0.01	%	103	85.0 - 115	Acceptable	
CBGA	0.00979	0.01	%	97.9	85.0 - 115	Acceptable	
CBG	0.00948	0.01	%	94.8	85.0 - 115	Acceptable	
CBD	0.0102	0.01	%	102	85.0 - 115	Acceptable	
THCV	0.00931	0.01	%	93.1	85.0 - 115	Acceptable	
d8THCV	0.00954	0.01	%	95.4	85.0 - 115	Acceptable	
THCVA	0.00903	0.01	%	90.3	85.0 - 115	Acceptable	
CBN	0.00996	0.01	%	99.6	85.0 - 115	Acceptable	
exo-THC	0.00862	0.01	%	86.2	85.0 - 115	Acceptable	
d9THC	0.00929	0.01	%	92.9	85.0 - 115	Acceptable	
d8THC	0.00853	0.01	%	85.3	85.0 - 115	Acceptable	
CBL	0.00856	0.01	%	85.6	85.0 - 115	Acceptable	
CBC	0.00868	0.01	%	86.8	85.0 - 115	Acceptable	
THCA	0.00932	0.01	%	93.2	85.0 - 115	Acceptable	
CBCA	0.00899	0.01	%	89.9	85.0 - 115	Acceptable	
CBLA	0.00875	0.01	%	87.5	85.0 - 115	Acceptable	
CBT	0.00744	0.01	%	74.4	85.0 - 115	Acceptable	Q6

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.003	%	< 0.003	Acceptable	
CBDV	<LOQ	0.003	%	< 0.003	Acceptable	
CBE	<LOQ	0.003	%	< 0.003	Acceptable	
CBDA	<LOQ	0.003	%	< 0.003	Acceptable	
CBGA	<LOQ	0.003	%	< 0.003	Acceptable	
CBG	<LOQ	0.003	%	< 0.003	Acceptable	
CBD	<LOQ	0.003	%	< 0.003	Acceptable	
THCV	<LOQ	0.003	%	< 0.003	Acceptable	
d8THCV	<LOQ	0.003	%	< 0.003	Acceptable	
THCVA	<LOQ	0.003	%	< 0.003	Acceptable	
CBN	<LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	<LOQ	0.003	%	< 0.003	Acceptable	
d9THC	<LOQ	0.003	%	< 0.003	Acceptable	
d8THC	<LOQ	0.003	%	< 0.003	Acceptable	
CBL	<LOQ	0.003	%	< 0.003	Acceptable	
CBC	<LOQ	0.003	%	< 0.003	Acceptable	
THCA	<LOQ	0.003	%	< 0.003	Acceptable	
CBCA	<LOQ	0.003	%	< 0.003	Acceptable	
CBLA	<LOQ	0.003	%	< 0.003	Acceptable	
CBT	<LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation
- Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35



Revision # 0 00 Con rol CFL D06
Revision Da e 05/31/2019 Effec ive Da e 05/31/2019

Laboratory Quality Control Results

JAOAC2015 V986		Batch ID: 2111317						
Sample Duplicate		Sample D 21-014737-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBG	0.00387	0.00390	0.003	%	0.898	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d9THC	0.127	0.126	0.003	%	0.903	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation
NA - Calculation Not Applicable given non-numerical results

Units of Measure:

%- Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Revision Document ID
Legacy ID Effective

Laboratory Quality Control Results

Batch ID: 2 349

Residual Solvents		Method Blank		Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	200		958	9.8	µg/g	0	0	0
Isobutane	ND	200		2.0	260	µg/g	00.8	0	0
Butane	ND	200		2.0	260	µg/g	00.8	0	0
2,2-Dimethylpropane	ND	200		690	600	µg/g	05.6	0	0
Methanol	ND	200		00	6.0	µg/g	05.6	0	0
Ethylene Oxide	ND	30		96.8	95	µg/g	0	0	0
2-Methylbutane	ND	200		60	630	µg/g	08.0	0	0
Pentane	ND	200		0	6.0	µg/g	08	0	0
Ethanol	ND	200		860	630	µg/g		0	0
Ethyl Ether	ND	200		20	6.0	µg/g	06.8	0	0
2,2-Dimethylbutane	ND	30		8	65	µg/g	0.9	0	0
Acetone	ND	200		60	6.0	µg/g	09.3	0	0
2-Propanol	ND	200		8.0	6.0	µg/g	3	0	0
Ethyl Formate	ND	500		50	620	µg/g	08.0	0	0
Acetonitrile	ND	00		56	98	µg/g	9.6	0	0
Methyl Acetate	ND	500		2030	8.0	µg/g	2.2	0	0
2,3-Dimethylbutane	ND	30		6	62	µg/g	99	0	0
Dichloromethane	ND	60		96	98	µg/g	99.6	0	0
2-Methylpentane	ND	30		6	6	µg/g	98.2	0	0
M.E.	ND	500		8.0	6.0	µg/g	3	0	0
3-Methylpentane	ND	30		86	9	µg/g	03.9	0	0
Hexane	ND	30		9	6	µg/g	6.5	0	0
Propanol	ND	500		800	620	µg/g		0	0
Methyl ethyl ketone	ND	500		2000	0	µg/g	3.0	0	0
Ethyl acetate	ND	200		950	620	µg/g	20	0	0
2-Butanol	ND	200		890	600	µg/g	8	0	0
tetrahydrofuran	ND	00		5.6	500	µg/g	5.2	0	0
Cyclohexane	ND	200		920	6.0	µg/g	9.3	0	0
2-methyl propanol	ND	500		9.0	6.0	µg/g	20.5	0	0
Benzene	ND	0		0	5.62	µg/g	25.8	0	0
Isopropyl Acetate	ND	200		980	6.0	µg/g	23.0	0	0
Heptane	ND	200		860	6.0	µg/g	5.5	0	0
Butanol	ND	500		9.0	620	µg/g	2.6	0	0
Propyl Acetate	ND	500		20.0	620	µg/g	2.8	0	0
Dioxane	ND	00		58	502	µg/g	5	0	0
2-Ethoxyethanol	ND	30		9	6	µg/g	6.5	0	0
Methyl isobutyl ketone	ND	500		990	620	µg/g	22.8	0	0
3-Methyl butanol	ND	500		2000	620	µg/g	23.5	0	0
Ethylene Glycol	ND	200			502	µg/g	9	0	0
o-cresol	ND	200		5.6	88	µg/g	05	0	0
Isobutyl Acetate	ND	500		2000	00	µg/g	6	0	0
Pentanol	ND	500		2080	630	µg/g	2.6	0	0
Butyl Acetate	ND	500		2020	660	µg/g	2	0	0
Ethyl benzene	ND	200		936	65	µg/g	9.0	0	0
m,p-Xylene	ND	200		9.6	990	µg/g	98.6	0	0
o-Xylene	ND	200		980	9	µg/g	00.9	0	0
Cumene	ND	30		63	9	µg/g	9	0	0
Anisole	ND	500		980	650	µg/g	20.0	0	0
DMSO	ND	500		980	630	µg/g	2.5	0	0
2,2-dimethoxyethane	ND	50		20	83	µg/g	3	0	0
diethylamine	ND	500		890	620	µg/g	6	0	0
N,N-dimethylformamide	ND	50		529	95	µg/g	06.9	0	0
N,N-dimethylacetamide	ND	50		603	502	µg/g	20	0	0
Pyridine	ND	50		208	86	µg/g	8	0	0
2-Dichloroethane	ND			29		µg/g	29.0	0	0
Chloroform	ND			2		µg/g	2.0	0	0
richloroethylene	ND			26		µg/g	26.0	0	0
Ethylene Oxide	ND			23		µg/g	23.0	0	0
Dichloromethane	ND					µg/g	0.0	0	0
Benzene	ND			26		µg/g	26.0	0	0



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Revision Document ID
Legacy ID Effective

QC Sample Duplicate Sample ID: 21 014774 0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	20	Acceptable	
2,2 Dimethylpropane	ND	ND	200	µg/g	0.0	20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	20	Acceptable	
Ethyl ethyl Oxide	ND	ND	30	µg/g	0.0	20	Acceptable	
2 Methylbutane	ND	ND	200	µg/g	0.0	20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	20	Acceptable	
2,2 Dimethylbutane	ND	ND	30	µg/g	0.0	20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	20	Acceptable	
2 Propanol	ND	ND	200	µg/g	0.0	20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	20	Acceptable	
Acetonitrile	ND	ND	00	µg/g	0.0	20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	20	Acceptable	
2,3 Dimethylbutane	ND	ND	30	µg/g	0.0	20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	20	Acceptable	
2 Methylpentane	ND	ND	30	µg/g	0.0	20	Acceptable	
M.E.	ND	ND	500	µg/g	0.0	20	Acceptable	
3 Methylpentane	ND	ND	30	µg/g	0.0	20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	20	Acceptable	
Propanol	ND	ND	500	µg/g	0.0	20	Acceptable	
Methyl ethyl ketone	ND	ND	500	µg/g	0.0	20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	20	Acceptable	
2 Butanol	ND	ND	200	µg/g	0.0	20	Acceptable	
tetrahydrofuran	ND	ND	00	µg/g	0.0	20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	20	Acceptable	
2 methyl propanol	ND	ND	500	µg/g	0.0	20	Acceptable	
Benzene	ND	ND	100	µg/g	0.0	20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	20	Acceptable	
Butanol	ND	ND	500	µg/g	0.0	20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	20	Acceptable	
Dioxane	ND	ND	00	µg/g	0.0	20	Acceptable	
2 Ethoxyethanol	ND	ND	30	µg/g	0.0	20	Acceptable	
Methyl isobutyl ketone	ND	ND	500	µg/g	0.0	20	Acceptable	
3 Methyl butanol	ND	ND	500	µg/g	0.0	20	Acceptable	
Ethyl Glycol	ND	ND	200	µg/g	0.0	20	Acceptable	
o xylene	ND	ND	200	µg/g	0.0	20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	20	Acceptable	
Pentanol	ND	ND	500	µg/g	0.0	20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	20	Acceptable	
Ethyl benzene	ND	ND	200	µg/g	0.0	20	Acceptable	
m p Xylene	ND	ND	200	µg/g	0.0	20	Acceptable	
o Xylene	ND	ND	200	µg/g	0.0	20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	20	Acceptable	
2,4 dimethoxyethane	ND	ND	50	µg/g	0.0	20	Acceptable	
riethylamine	ND	ND	500	µg/g	0.0	20	Acceptable	
N,N dimethylformamide	ND	ND	50	µg/g	0.0	20	Acceptable	
N,N dimethylacetamide	ND	ND	50	µg/g	0.0	20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	20	Acceptable	
2,2 Dichloroethane	ND	ND	100	µg/g	0.0	20	Acceptable	
Chloroform	ND	ND	100	µg/g	0.0	20	Acceptable	
trichloroethylene	ND	ND	100	µg/g	0.0	20	Acceptable	
Ethyl ethyl Oxide	ND	ND	100	µg/g	0.0	20	Acceptable	
Dichloromethane	ND	ND	100	µg/g	0.0	20	Acceptable	
Benzene	ND	ND	100	µg/g	0.0	2	Acceptable	

Abbreviations

ND	None Detected at or above MRL
RPD	Relative Percent Difference
LOQ	Limit of Quantitation
Q2	Quality control outside QC limits Data considered estimate

Units of Measure:

µg/g Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D003.R000
Report Date: 12/29/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D002.R000
Report Date: 12/24/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Customer: Etz Hayim Holdings
Product identity: FORM-DL45-PET-VIT
Client/Metric ID: .
Laboratory ID: 21-014765-0001

Summary

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D002.R000
Report Date: 12/24/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Customer: Etz Hayim Holdings
16427 NE Airport Way
PORTLAND 97230
United States of America (USA)

Product identity: FORM-DL45-PET-VIT

Client/Metric ID: .

Sample Date:

Laboratory ID: 21-014765-0001

Evidence of Cooling: No

Temp: 16.2 °C

Relinquished by: Client

Sample Results

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2111237	12/20/21	AOAC 991.14 (Petrifilm)	X,	LO3
Total Coliforms	< LOQ		cfu/g	10	2111237	12/20/21	AOAC 991.14 (Petrifilm)	X,	LO3
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2111238	12/21/21	AOAC 2014.05 (RAPID)	X,	Q2
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2111238	12/21/21	AOAC 2014.05 (RAPID)	X,	Q2
Salmonella spp. by PCR	Negative		/15g		2111243	12/19/21	AOAC 2020.02	X,	I



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D002.R000
Report Date: 12/24/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

/15g = Per 15g

cfu/g = Colony forming units per gram

% wt = $\mu\text{g/g}$ divided by 10,000

Glossary of Qualifiers

I: Insufficient sample received to meet method requirements.

Q2: Quality control outside QC limits. Data considered estimate.

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-014765/D002.R000
Report Date: 12/24/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35



12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

Cannabis Chain of Custody Record

ORELAP ID: OR100028

Field ID		Date/Time Collected		Analysis Requested										Matrix		Weight		Serving size for edibles		Comments/Metric ID			
FORM-DL45-PET-VIT		12/1/21 15:30		Pesticides - OR 59 compounds	Pesticide Multi-Residue - 379 compounds	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E.Coli and Total Coliform	Heavy Metals	Mycotoxins	Other <i>Solvents</i>								
FORM-DL45-PET-VIT		12/1/21 15:30		X	X	X				X	X		X								Laz Nat Discount		

Collected By:	Relinquished By:	Date	Time	Received by:	Date	Time	Lab Use Only:
<input checked="" type="checkbox"/> Standard (5 day)							Client Alias:
<input type="checkbox"/> Rush (3-4 day) (1.5x Standard)							Order Number:
<input type="checkbox"/> Priority Rush (2 day) (2x Standard)							Proper Container
							Sample Condition
							Temperature: <i>16.2</i>
							Shipped Via: <i>Client</i>
							Evidence of cooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023
Effective 01/31/2019 Revised 01/31/2019

www.pixislabs.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.
Testing in accordance with: OAR 333-007-0390



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 21-014765/D002.R000
Report Date: 12/24/2021
ORELAP#: OR100028
Purchase Order:
Received: 12/17/21 12:35

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.