

## CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

<b>BULK SKU</b> PET.JNT10	<b>BATCH #</b> EC69	<b>LOQ:</b> Limit Of Quantitation <b>LOD:</b> Limit Of Detection  1 g = 10 <sup>-3</sup> kg = 10 <sup>3</sup> mg = 10 <sup>6</sup> µg 1 mg/kg = 1 ppm = 1000 ppb
<b>PRODUCT NAME</b> Joint Support CBD Dog Chews	<b>SERVING SIZE</b> 1 treat (~5.35 g)	
<b>LABORATORY:</b> Columbia Laboratories	<b>OREGON ACCREDITATION:</b> OR100028	

POTENCY	PER SERVING	PER GRAM	Percent
Cannabidiol (CBD)	10.59 mg/serving	1.98 mg/g	0.198 %
Total THC (d9-THC, THCA)	0.336 mg/serving	0.0628 mg/g	0.0063 %
Cannabigerol (CBG)	0.209 mg/serving	0.039 mg/g	0.0039 %
Cannabinol (CBN)	<LOQ mg/serving	<LOQ mg/g	<LOQ %
Cannabichromene (CBC)	0.418 mg/serving	0.0781 mg/g	0.0078 %
Tetrahydrocannabinolic Acid (THCA)	<LOQ mg/serving	<LOQ mg/g	<LOQ %
Delta-9-THC (d9-THC)	0.336 mg/serving	0.0628 mg/g	0.0063 %
Delta-8-THC (d8-THC)	<LOQ mg/serving	<LOQ mg/g	<LOQ %

HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	0.3055 µg/serving	0.0571 µg/g	10 µg/day <sup>[1]</sup>
Cadmium	<LOQ µg/serving	<LOQ µg/g	4.1 µg/day <sup>[1]</sup>
Lead	0.101 µg/serving	0.0188 µg/g	3.5 µg/day <sup>[2]</sup>
Mercury	<LOQ µg/serving	<LOQ µg/g	2 µg/day <sup>[1]</sup>

PESTICIDES	REGULATORY ACTION LEVEL
None of the other 59 pesticides tested found above limit of detection in the sample.	10 ppb <sup>[1]</sup>

RESIDUAL SOLVENTS	Results	REGULATORY ACTION LEVEL
Ethanol	<LOQ	50,000 mg/day
Heptane	<LOQ	50,000 mg/day
None of the 34 residual solvents tested found above limit of quantitation in the sample.		

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass



1. American Herbal Pharmacopoeia. (2014). Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control. Washington DC: AHP.  
 2. US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA. US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

**Customer:** Etz Hayim Holdings  
**Product identity:** FORM-EC69-PET.JNT10  
**Client/Metric ID:** .  
**Laboratory ID:** 22-003825-0002

### Summary

#### Potency:

Analyte per 1g	Result	Limits	Units	Status	
CBC per 1g†	0.0781		mg/1g		CBD-Total per 1g 1.98 mg/1g
CBD per 1g	1.98		mg/1g		
CBG per 1g†	0.0390		mg/1g		THC-Total per 1g 0.0628 mg/1g
Δ9-THC per 1g	0.0628		mg/1g		(Reported in milligrams per serving)

#### Residual Solvents:

All analytes passing and less than LOQ.

#### Pesticides:

All analytes passing and less than LOQ.

#### Metals:

Analyte	Result	Units	Limit	Status	Analyte	Result	Unit	Limit	Status
Arsenic	0.0571	mg/kg	0.200	pass	Lead	0.0188	mg/kg	0.500	pass



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

**Customer:** Etz Hayim Holdings  
 16427 NE Airport Way  
 PORTLAND 97230  
 United States of America (USA)

**Product identity:** FORM-EC69-PET.JNT10

**Client/Metric ID:** .

**Sample Date:**

**Laboratory ID:** 22-003825-0002

**Evidence of Cooling:** No

**Temp:** 20.6 °C

**Relinquished by:** Client

**Serving Size #1:** 1 g

### Sample Results

Potency per 1g					
Method J AOAC 2015 V98-6 (mod)Units mg/se Batch: 2202988 Analyze: 4/7/22 12:52:00 PM					
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1g†	0.0781		mg/1g	0.0332	
CBC-A per 1g†	< LOQ		mg/1g	0.0332	
CBC-Total per 1g†	0.0781		mg/1g	0.0623	
CBD per 1g	1.98		mg/1g	0.0332	
CBD-A per 1g	< LOQ		mg/1g	0.0332	
CBD-Total per 1g	1.98		mg/1g	0.0623	
CBDV per 1g†	< LOQ		mg/1g	0.0332	
CBDV-A per 1g†	< LOQ		mg/1g	0.0332	
CBDV-Total per 1g†	< LOQ		mg/1g	0.0620	
CBE per 1g†	< LOQ		mg/1g	0.0332	
CBG per 1g†	0.0390		mg/1g	0.0332	
CBG-A per 1g†	< LOQ		mg/1g	0.0332	
CBG-Total per 1g†	< LOQ		mg/1g	0.0620	
CBL per 1g†	< LOQ		mg/1g	0.0332	
CBL-A per 1g†	< LOQ		mg/1g	0.0332	
CBL-Total per 1g†	< LOQ		mg/1g	0.0623	
CBN per 1g	< LOQ		mg/1g	0.0332	
CBT per 1g†	< LOQ		mg/1g	0.0332	
Δ8-THCV per 1g†	< LOQ		mg/1g	0.0332	
Δ8-THC per 1g†	< LOQ		mg/1g	0.0332	
Δ9-THC per 1g	0.0628		mg/1g	0.0332	
exo-THC per 1g†	< LOQ		mg/1g	0.0332	
THC-A per 1g	< LOQ		mg/1g	0.0332	
THC-Total per 1g	0.0628		mg/1g	0.0623	
THCV per 1g†	< LOQ		mg/1g	0.0332	
THCV-A per 1g†	< LOQ		mg/1g	0.0332	
THCV-Total per 1g†	< LOQ		mg/1g	0.0623	
Total Cannabinoids per 1g	2.16		mg/1g		



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

Solvents		Method Residual Solvents by GC/MS				Units µg/g	Batch 2202997	Analyze 04/07/22 02:02 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethyl butane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethyl butane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethanol <sup>i</sup>	< LOQ		200		
Ethyl acetate	< LOQ	5000	200	pass		Ethyl benzene	< LOQ		200		
Ethyl ether	< LOQ	5000	200	pass		Ethylene glycol	< LOQ	620	200	pass	
Ethylene oxide	< LOQ	50.0	20.0	pass		Hexanes (sum)	< LOQ	290	150	pass	
Isopropyl acetate	< LOQ	5000	200	pass		Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass	
m,p-Xylene	< LOQ		200			Methanol	< LOQ	3000	200	pass	
Methylene chloride	< LOQ	600	60.0	pass		Methylpropane (Isobutane)	< LOQ		200		
n-Butane	< LOQ		200			n-Heptane	< LOQ	5000	200	pass	
n-Hexane	< LOQ		30.0			n-Pentane	< LOQ		200		
o-Xylene	< LOQ		200			Pentanes (sum)	< LOQ	5000	600	pass	
Propane	< LOQ	5000	200	pass		Tetrahydrofuran	< LOQ	720	100	pass	
Toluene	< LOQ	890	100	pass		Total Xylenes	< LOQ		400		
Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass							



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2203095 Analyze 04/11/22 03:47 PM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifentazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Pacllobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes	
Arsenic	0.0571	0.200	mg/kg	0.0171	2202999	04/07/22	AOAC 2013.06 (mod.)	pass	X	
Cadmium	< LOQ	0.200	mg/kg	0.0171	2202999	04/07/22	AOAC 2013.06 (mod.)	pass	X	
Lead	0.0188	0.500	mg/kg	0.0171	2202999	04/07/22	AOAC 2013.06 (mod.)	pass	X	
Mercury	< LOQ	0.100	mg/kg	0.00856	2202999	04/07/22	AOAC 2013.06 (mod.)	pass	X	

Nutrition										
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes	
Moisture (Loss on Drying)	10.3	15.0	g/100g	0.10	2203032	04/07/22	AOAC 925.10 (mod.)	pass	X	
Water Activity	0.489	0.650	Aw	0.030	2202968	04/06/22	AOAC 978.18	pass	X	



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

These test results are representative of the individual sample selected and submitted by the client.

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

**Units of Measure**

- g = g
- g/100g = Grams per 100 Grams
- µg/g = Microgram per gram
- mg/kg = Milligram per kilogram = parts per million (ppm)
- mg/1g = Milligram per 1g
- % = Percentage of sample
- Aw = Water Activity
- % wt = µg/g divided by 10,000

**Glossary of Qualifiers**

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



Report Number: 22-003825/D002.R000  
Report Date: 04/12/2022  
ORELAP#: OR100028  
Purchase Order:  
Received: 04/05/22 12:35



12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

Cannabis Chain of Custody Record

ORELAP ID: OR100028

Field ID		Date/Time Collected	Pesticides - OR 59 compounds	Pesticide Multi-Residue - 379 compounds	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E.Coli and Total Coliform	Heavy Metals	Mycotoxins	Other	Matrix	Weight	Serving size for edibles	Comments/Metric ID
FORM-EC69-PET_JNT10		4/5/22								X	X				edible			Laz Nat Discount
FORM-EC69-PET_JNT10		4/5/22	X		X	X	X					X			edible			fun all tests in parallel

Collected By:	Relinquished By:	Date	Time	Received by:	Date	Time	Lab Use Only:
<input checked="" type="checkbox"/> Standard (5 day)							Client Alias:
<input type="checkbox"/> Rush (3-4 day) (1.5x Standard)							Order Number:
<input type="checkbox"/> Priority Rush (2 day) (2x Standard)							Proper Container <input checked="" type="checkbox"/>
							Sample Condition <input checked="" type="checkbox"/>
							Temperature: 20.6
							Shipped Via: Courier
							Evidence of cooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023  
Effective 01/31/2019 Revised 01/31/2019

[www.pixislabs.com](http://www.pixislabs.com)

Page 1 of 2

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.  
Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

Revision: 1 Document D: 7148  
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V98-6 Batch ID 2202988

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.0296	0.033	%	88.9	80.0 - 120	Acceptable	
CBDV	0.0322	0.033	%	96.7	80.0 - 120	Acceptable	
CBE	0.0289	0.033	%	86.8	80.0 - 120	Acceptable	
CBD	0.0311	0.033	%	93.2	80.0 - 120	Acceptable	
THCV	0.0296	0.033	%	88.9	80.0 - 120	Acceptable	
d8THCV	0.0314	0.033	%	94.2	80.0 - 120	Acceptable	
THCV/A	0.0279	0.033	%	83.7	80.0 - 120	Acceptable	
CBN	0.0324	0.033	%	97.3	80.0 - 120	Acceptable	
exo-THC	0.0282	0.033	%	84.6	80.0 - 120	Acceptable	
d9THC	0.0317	0.033	%	95.2	80.0 - 120	Acceptable	
d8THC	0.0293	0.033	%	87.8	80.0 - 120	Acceptable	
CBL	0.0285	0.033	%	85.5	80.0 - 120	Acceptable	
CBC	0.0300	0.033	%	89.9	80.0 - 120	Acceptable	
THCA	0.0313	0.033	%	93.8	80.0 - 120	Acceptable	
CBCA	0.0293	0.033	%	87.8	80.0 - 120	Acceptable	
CBLA	0.0287	0.033	%	86.2	80.0 - 120	Acceptable	
CBT	0.0279	0.033	%	83.6	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBDV	< LOQ	0.003	%	< 0.003	Acceptable	
CBE	< LOQ	0.003	%	< 0.003	Acceptable	
CBD	< LOQ	0.003	%	< 0.003	Acceptable	
THCV	< LOQ	0.003	%	< 0.003	Acceptable	
d8THCV	< LOQ	0.003	%	< 0.003	Acceptable	
THCV/A	< LOQ	0.003	%	< 0.003	Acceptable	
CBN	< LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	< LOQ	0.003	%	< 0.003	Acceptable	
d9THC	< LOQ	0.003	%	< 0.003	Acceptable	
d8THC	< LOQ	0.003	%	< 0.003	Acceptable	
CBL	< LOQ	0.003	%	< 0.003	Acceptable	
CBC	< LOQ	0.003	%	< 0.003	Acceptable	
THCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBLA	< LOQ	0.003	%	< 0.003	Acceptable	
CBT	< LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent





12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

Revision: 1 Document D: 7148  
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V98-6		Batch ID: 2202988						
Sample Duplicate		Sample ID: 22-003801-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBE	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBDA	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBGA	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBG	0.00576	0.00548	0.003	%	5.04	< 20	Acceptable	
CBD	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
THCV	0.00481	0.00467	0.003	%	2.94	< 20	Acceptable	
d8THCV	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
THCVA	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBN	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
exo-THC	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
d9THC	0.261	0.251	0.003	%	3.74	< 20	Acceptable	
d8THC	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBL	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBC	0.00426	0.00417	0.003	%	2.07	< 20	Acceptable	
THCA	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBCA	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBLA	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	
CBT	<LQ	<LQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LQ - Limit of Quantitation

Units of Measure:

%- Percent



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

Revision Document ID  
 Legacy ID Effective

Laboratory Quality Control Results

Residual Solvents		Batch ID		2202997					
Method Blank			Laboratory Control Sample						
Analyte	Result	LOQ	Notes	Result	Spike	Units	%Rec	Limits	Notes
Propane	ND	< 200		537	572	µg/g	93.9	60 - 120	
Isobutane	ND	< 200		771	731	µg/g	105.5	60 - 120	
Butane	ND	< 200		792	731	µg/g	108.3	60 - 120	
2,2-Dimethylpropane	ND	< 200		894	936	µg/g	95.5	60 - 120	
Methanol	ND	< 200		1560	1620	µg/g	96.3	60 - 120	
Ethylene Oxide	ND	< 30		59	56.2	µg/g	105.0	60 - 120	
2-Methylbutane	ND	< 200		1630	1620	µg/g	100.6	60 - 120	
Pentane	ND	< 200		1580	1610	µg/g	98.1	60 - 120	
Ethanol	ND	< 200		1600	1630	µg/g	98.2	70 - 130	
Ethyl Ether	ND	< 200		1530	1620	µg/g	94.4	60 - 120	
2,2-Dimethylbutane	ND	< 30		164	174	µg/g	94.3	60 - 120	
Acetone	ND	< 200		1370	1650	µg/g	83.0	60 - 120	
2-Propanol	ND	< 200		1450	1610	µg/g	90.1	60 - 120	
Ethyl Formate	ND	< 500		1430	1600	µg/g	89.4	70 - 130	
Acetonitrile	ND	< 100		489	498	µg/g	98.0	60 - 120	
Methyl Acetate	ND	< 500		1500	1610	µg/g	93.2	70 - 130	
2,3-Dimethylbutane	ND	< 30		164	176	µg/g	93.2	60 - 120	
Dichloromethane	ND	< 60		504	510	µg/g	98.8	60 - 120	
2-Methylpentane	ND	< 30		159	175	µg/g	89.9	60 - 120	
MTBE	ND	< 500		1460	1600	µg/g	91.3	70 - 130	
3-Methylpentane	ND	< 30		162	175	µg/g	92.6	60 - 120	
Hexane	ND	< 30		163	177	µg/g	103.4	60 - 120	
1-Propanol	ND	< 500		1490	1610	µg/g	92.5	70 - 130	
Methylisobutylketone	ND	< 500		1510	1600	µg/g	94.4	70 - 130	
Ethyl acetate	ND	< 200		1520	1630	µg/g	93.3	60 - 120	
2-Butanol	ND	< 200		1450	1620	µg/g	89.5	60 - 120	
Tetrahydrofuran	ND	< 100		444	500	µg/g	88.8	60 - 120	
Cyclohexane	ND	< 200		1420	1620	µg/g	87.7	60 - 120	
2-methyl-1-propanol	ND	< 500		1250	1620	µg/g	77.2	70 - 130	
Benzene	ND	< 1		4.6	5.32	µg/g	86.5	60 - 120	
Isopropyl Acetate	ND	< 200		1360	1620	µg/g	84.0	60 - 120	
Heptane	ND	< 200		1390	1770	µg/g	78.5	60 - 120	
1-Butanol	ND	< 500		1200	1600	µg/g	75.0	70 - 130	
Propyl Acetate	ND	< 500		1410	1600	µg/g	88.1	70 - 130	
1,4-Dioxane	ND	< 100		421	504	µg/g	83.5	60 - 120	
2-Ethoxyethanol	ND	< 30		151	181	µg/g	83.4	60 - 120	
Methylisobutylketone	ND	< 500		1280	1610	µg/g	79.5	70 - 130	
3-Methyl-1-butanol	ND	< 500		1110	1610	µg/g	68.9	70 - 130	Q6
Ethylene Glycol	ND	< 200		353	494	µg/g	71.5	60 - 120	
Toluene	ND	< 200		436	491	µg/g	88.8	60 - 120	
Isobutyl Acetate	ND	< 500		1430	1600	µg/g	89.4	70 - 130	
1-Pentanol	ND	< 500		1430	1610	µg/g	88.8	70 - 130	
Butyl Acetate	ND	< 500		1480	1610	µg/g	91.9	70 - 130	
Ethyl benzene	ND	< 200		872	973	µg/g	89.6	60 - 120	
m p-Xylene	ND	< 200		868	996	µg/g	87.1	60 - 120	
o-Xylene	ND	< 200		898	973	µg/g	92.3	60 - 120	
Cumene	ND	< 30		148	170	µg/g	85.9	60 - 120	
Anisole	ND	< 500		1310	1610	µg/g	81.4	70 - 130	
DMSO	ND	< 500		1540	1630	µg/g	94.5	70 - 130	
1,2-dimethoxyethane	ND	< 50		143	164	µg/g	87.2	70 - 130	
Tetrahydrofuran	ND	< 500		1070	1600	µg/g	66.9	70 - 130	Q6
N,N-dimethylformamide	ND	< 150		391	497	µg/g	78.7	70 - 130	
N,N-dimethylacetamide	ND	< 150		478	498	µg/g	95.6	70 - 130	
Pyridine	ND	< 50		162	180	µg/g	90.0	70 - 130	
1,2-Dichloroethane	ND	< 1		1	1	µg/g	100.0	70 - 130	
Chloroform	ND	< 1		1.04	1	µg/g	104.0	70 - 130	
Tetrachloroethylene	ND	< 1		1.04	1	µg/g	104.0	70 - 130	



Revision Document ID  
Legacy ID Effective

OC - Sample Duplicate Sample ID 22-003767-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MIBK	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methyl ethyl ketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m-xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Tetrachloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	

**Abbreviations**

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation
- OC - Quality control outside OC limits. Data acceptable based on remaining OC.

**Units of Measure:**

µg/g - Microgram per gram or ppm



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

Revision: 3 Document ID: 3120  
LegacyID: CFLC21WorksheetValidated 10/30/2020

Laboratory Pesticide Quality Control Results

AOAC2007.1 &EN 15662		Units: mg/Kg			Batch ID 2203095			
Method Blank	Blank Result	Blank Limits	Notes	LCS Result	LCS Spke	LCS% Re	Limits	Notes
Abamectin	0.00	< 0.250		1.373	1.00	137.3	50.0	150
Acephate	0.00	< 0.250		1.043	1.00	104.3	60.0	120
Acetamiprid	0.00	< 1.000		3.789	4.00	94.7	40.0	160
Acetamiprid	0.00	< 0.100		0.426	0.40	106.5	60.0	120
Aldicarb	0.00	< 0.200		0.863	0.80	107.9	60.0	120
Azoxystrobin	0.00	< 0.100		0.428	0.40	107.0	60.0	120
Bifenazate	0.00	< 0.100		0.426	0.40	106.5	60.0	120
Bifenthrin	0.00	< 0.100		0.393	0.40	98.4	50.0	150
Boscalid	0.00	< 0.200		0.840	0.80	105.0	60.0	120
Carbaryl	0.00	< 0.100		0.430	0.40	107.4	60.0	120
Carbendazim	0.00	< 0.100		0.434	0.40	108.5	60.0	120
Chlorantraniliprole	0.00	< 0.100		0.408	0.40	102.0	60.0	120
Chlorfenapyr	0.00	< 0.500		2.520	2.00	126.0	60.0	120
Chlorpyrifos	0.00	< 0.100		0.424	0.40	106.0	60.0	120
Clofentezine	0.00	< 0.100		0.318	0.40	79.4	60.0	120
Cyfluthrin	0.00	< 0.500		2.102	2.00	105.1	50.0	150
Cypermethrin	0.00	< 0.500		2.084	2.00	104.2	50.0	150
Daminozide	0.046	< 0.500		0.784	2.00	39.2	60.0	120
Diazinon	0.00	< 0.100		0.451	0.40	112.6	60.0	120
Dichlorvos	0.00	< 0.500		2.260	2.00	113.0	60.0	120
Dimethoate	0.00	< 0.100		0.447	0.40	111.8	60.0	120
Ethionphos	0.00	< 0.100		0.442	0.40	110.4	60.0	120
Etofenprox	0.00	< 0.200		0.753	0.80	94.2	50.0	150
Etoxazole	0.00	< 0.100		0.441	0.40	110.3	60.0	120
Fenoxycarb	0.00	< 0.100		0.439	0.40	109.9	60.0	120
Fenproximate	0.00	< 0.200		0.876	0.80	109.4	60.0	120
Fipronil	0.00	< 0.200		0.902	0.80	112.8	60.0	120
Fonicamid	0.00	< 0.250		1.028	1.00	102.8	60.0	120
Fludioxonil	0.00	< 0.200		0.914	0.80	114.3	50.0	150
Hexythiazox	0.00	< 0.250		1.047	1.00	104.7	60.0	120
Imazalil	0.00	< 0.100		0.372	0.40	93.0	60.0	120
Imidacloprid	0.00	< 0.200		0.882	0.80	110.2	60.0	120
Kiesoxim-methyl	0.00	< 0.200		0.885	0.80	110.6	60.0	120
Malathion	0.00	< 0.100		0.435	0.40	108.8	60.0	120
Metaxyl	0.00	< 0.100		0.424	0.40	106.0	60.0	120
Methiocarb	0.00	< 0.100		0.432	0.40	107.9	60.0	120
Methomyl	0.00	< 0.200		0.737	0.80	92.1	60.0	120
MCK-264	0.00	< 0.100		0.431	0.40	107.8	50.0	150
Mydobutanol	0.00	< 0.100		0.414	0.40	103.5	60.0	120
Naled	0.00	< 0.250		0.615	1.00	61.5	50.0	150
Oxaryl	0.00	< 0.500		1.942	2.00	97.1	60.0	120
Padobutrazole	0.00	< 0.200		0.854	0.80	106.8	60.0	120
Parathion-Methyl	0.00	< 0.200		0.729	0.80	91.2	50.0	150
Permethrin	0.00	< 0.100		0.412	0.40	102.9	50.0	150
Phosmet	0.00	< 0.100		0.423	0.40	105.9	50.0	150
Piperonyl butoxide	0.00	< 0.500		2.572	2.00	128.6	60.0	120
Prallethrin	0.00	< 0.100		0.401	0.40	100.2	60.0	120
Propiconazole	0.00	< 0.200		0.959	0.80	119.9	60.0	120
Propoxur	0.00	< 0.100		0.433	0.40	108.4	60.0	120
Pyrethrin (Summe)	0.001	< 0.100		0.427	0.413	103.4	60.0	120
Pyridaben	0.00	< 0.100		0.421	0.40	105.2	50.0	150
Spinosad	0.00	< 0.100		0.435	0.388	112.1	50.0	150
Spiromesfen	0.00	< 0.100		0.423	0.40	105.6	60.0	120
Spirotetramat	0.00	< 0.100		0.434	0.40	108.6	60.0	120
Spiroxamine	0.00	< 0.200		0.862	0.80	107.7	60.0	120
Tebuconazole	0.00	< 0.200		0.860	0.80	107.4	60.0	120
Thiadoprid	0.00	< 0.100		0.418	0.40	104.5	60.0	120
Thiamethoxam	0.00	< 0.100		0.419	0.40	104.8	60.0	120
Trifloxystrobin	0.00	< 0.100		0.428	0.40	106.9	60.0	120



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



Report Number: 22-003825/D002.R000  
Report Date: 04/12/2022  
ORELAP#: OR100028  
Purchase Order:  
Received: 04/05/22 12:35

Revision: 3 Document ID: 3120  
LegacyID: CFLC21WorksheetValidated 10/30/2020

Laboratory Pesticide Quality Control Results

AOAC2007.1 & EN 15662		Units: mg/Kg					Batch ID 2203095			Sample ID: 22-0038250002
Matrix Spike/Matrix Spike Duplicate Recoveries	Result	MS Res	MSD Res	Spike	RFD%	Limit	MS % Re	MSD % Re	Limits	Notes
Abamectin	0.00	1.247	1.256	1.00	0.7%	< 30	124.7%	125.6%	50 - 150	
Acephate	0.007	1.021	1.034	1.00	1.3%	< 30	101.4%	102.7%	50 - 150	
Acetamiprid	1.233	3.777	3.744	4.00	1.3%	< 30	63.8%	62.8%	50 - 150	
Acetamiprid	0.002	0.535	0.538	0.40	0.6%	< 30	133.4%	134.2%	50 - 150	
Aldicarb	0.00	0.995	1.006	0.80	1.1%	< 30	124.3%	125.7%	50 - 150	
Azoxystrobin	0.005	0.535	0.535	0.40	0.1%	< 30	132.6%	132.5%	50 - 150	
Bifenazate	0.00	0.498	0.500	0.40	0.5%	< 30	124.4%	125.1%	50 - 150	
Bifenthrin	0.00	0.118	0.121	0.40	2.5%	< 30	29.4%	30.2%	50 - 150	Q
Boscalid	0.00	1.047	1.037	0.80	1.0%	< 30	130.9%	129.6%	50 - 150	
Carbaryl	0.00	0.535	0.546	0.40	2.0%	< 30	133.8%	136.5%	50 - 150	
Carbofuran	0.00	0.594	0.592	0.40	1.3%	< 30	146.0%	147.9%	50 - 150	
Chlorantraniliprole	0.00	0.431	0.432	0.40	0.4%	< 30	107.7%	108.0%	50 - 150	
Chlorfenapyr	0.00	3.893	4.094	2.00	5.0%	< 30	194.6%	204.7%	50 - 150	Q
Chlorpyrifos	0.00	0.772	0.777	0.40	0.7%	< 30	192.9%	194.4%	50 - 150	Q
Clofentezine	0.00	0.286	0.287	0.40	0.4%	< 30	71.9%	71.7%	50 - 150	
Cyfluthrin	0.00	2.130	2.184	2.00	2.5%	< 30	106.5%	109.2%	30 - 150	
Cypermethrin	0.00	2.383	2.407	2.00	1.0%	< 30	119.1%	120.4%	50 - 150	
Daminozide	0.048	0.787	0.796	2.00	1.3%	< 30	36.9%	37.4%	30 - 150	
Diazinon	0.00	0.496	0.507	0.40	2.1%	< 30	124.1%	126.7%	50 - 150	
Dichlorvos	0.00	2.607	2.618	2.00	0.5%	< 30	130.3%	130.9%	50 - 150	
Dimethoate	0.00	0.556	0.548	0.40	1.4%	< 30	138.9%	137.0%	50 - 150	
Ethoprophos	0.00	0.497	0.524	0.40	5.2%	< 30	124.2%	130.9%	50 - 150	
Etofenprox	0.00	1.120	1.301	0.80	15.0%	< 30	140.0%	162.7%	50 - 150	Q
Etoxazole	0.00	0.618	0.613	0.40	0.8%	< 30	154.5%	153.2%	50 - 150	Q
Fenoxycarb	0.00	0.456	0.475	0.40	4.1%	< 30	113.9%	118.7%	50 - 150	
Fenpyroximate	0.151	0.837	0.858	0.80	3.0%	< 30	85.8%	88.4%	50 - 150	
Fipronil	0.00	1.005	1.027	0.80	2.1%	< 30	125.8%	128.4%	50 - 150	
Fonicamid	0.00	0.975	0.988	1.00	1.4%	< 30	97.9%	98.8%	50 - 150	
Fludioxonil	0.00	0.911	0.886	0.80	2.9%	< 30	113.9%	110.7%	50 - 150	
Hexythiazox	0.00	1.639	1.508	1.00	8.3%	< 30	163.9%	150.8%	50 - 150	Q
Imazalil	0.00	0.421	0.434	0.40	3.0%	< 30	105.2%	108.5%	50 - 150	
Imidacloprid	0.00	0.789	0.779	0.80	1.2%	< 30	98.6%	97.4%	50 - 150	
Kiesoxim-methyl	0.00	0.978	1.025	0.80	4.7%	< 30	122.2%	128.1%	50 - 150	
Malathion	0.00	0.543	0.555	0.40	2.3%	< 30	135.7%	138.8%	50 - 150	
Metaxyl	0.00	0.506	0.507	0.40	0.3%	< 30	126.4%	126.7%	50 - 150	
Methiocarb	0.00	0.467	0.483	0.40	3.4%	< 30	116.8%	120.8%	50 - 150	
Methomyl	0.00	0.873	0.883	0.80	1.2%	< 30	109.1%	110.4%	50 - 150	
MCK-264	0.00	0.411	0.441	0.40	7.0%	< 30	102.7%	110.2%	50 - 150	
Mydobutani	0.00	0.503	0.485	0.40	3.7%	< 30	125.7%	121.1%	50 - 150	
Naled	0.00	1.253	1.239	1.00	1.1%	< 30	125.3%	123.9%	50 - 150	
Oxamyl	0.00	2.000	2.028	2.00	1.4%	< 30	100.0%	101.4%	50 - 150	
Padobutrazole	0.00	0.991	0.993	0.80	0.2%	< 30	123.9%	124.1%	50 - 150	
Parathion-Methyl	0.00	0.938	1.000	0.80	6.3%	< 30	117.3%	125.0%	30 - 150	
Permethrin	0.00	0.379	0.386	0.40	1.8%	< 30	94.7%	96.9%	50 - 150	
Phosmet	0.00	0.511	0.534	0.40	4.5%	< 30	127.7%	133.5%	50 - 150	
Piperonyl butoxide	0.00	2.362	2.497	2.00	5.5%	< 30	118.1%	124.8%	50 - 150	
Prallethrin	0.00	0.346	0.356	0.40	2.9%	< 30	86.9%	89.1%	50 - 150	
Propiconazole	0.00	1.032	1.048	0.80	1.5%	< 30	129.0%	130.9%	50 - 150	
Propoxur	0.005	0.559	0.554	0.40	1.0%	< 30	138.4%	137.0%	50 - 150	
Pyrethrin (Summe)	0.111	0.398	0.404	0.413	1.9%	< 30	69.6%	70.9%	50 - 150	
Pyridaben	0.00	0.508	0.522	0.40	2.8%	< 30	126.9%	130.5%	50 - 150	
Spinosad	0.00	0.610	0.600	0.388	1.7%	< 30	157.3%	154.6%	50 - 150	Q
Spiromesfen	0.00	0.558	0.555	0.40	0.6%	< 30	139.6%	138.8%	50 - 150	
Spirotetramat	0.00	0.471	0.493	0.40	4.6%	< 30	117.7%	123.2%	50 - 150	
Spiroxamine	0.00	0.993	1.024	0.80	3.1%	< 30	124.1%	128.0%	50 - 150	
Tebuconazole	0.00	0.977	1.018	0.80	4.1%	< 30	122.2%	127.2%	50 - 150	
Thiadoprid	0.00	0.545	0.561	0.40	2.9%	< 30	136.3%	140.2%	50 - 150	
Thiamethoxam	0.00	0.428	0.420	0.40	1.9%	< 30	107.1%	105.1%	50 - 150	
Trifloxystrobin	0.00	0.536	0.551	0.40	2.8%	< 30	133.9%	137.8%	50 - 150	



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D002.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D001.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

**Customer:** Etz Hayim Holdings  
**Product identity:** FORM-EC69-PET.JNT10  
**Client/Metric ID:** .  
**Laboratory ID:** 22-003825-0001

### Summary

-----  
**Microbiology:**

Analyte	Result	Units
Yeast (RAPID Petrifilm)	10	cfu/g

-----





12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-003825/D001.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

**Customer:** Etz Hayim Holdings  
 16427 NE Airport Way  
 PORTLAND 97230  
 United States of America (USA)

**Product identity:** FORM-EC69-PET.JNT10

**Client/Metric ID:** .

**Sample Date:**

**Laboratory ID:** 22-003825-0001

**Evidence of Cooling:** No

**Temp:** 20.6 °C

**Relinquished by:** Client

### Sample Results

#### Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2202935	04/08/22	AOAC 991.14 (Petrifilm)	X	
Total Coliforms	< LOQ		cfu/g	10	2202935	04/08/22	AOAC 991.14 (Petrifilm)	X	
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2202936	04/09/22	AOAC 2014.05 (RAPID)	X	
Yeast (RAPID Petrifilm)	10		cfu/g	10	2202936	04/09/22	AOAC 2014.05 (RAPID)	X	



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D001.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35

---

These test results are representative of the individual sample selected and submitted by the client.

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

**Units of Measure**

cfu/g = Colony forming units per gram

% wt =  $\mu\text{g/g}$  divided by 10,000

**Glossary of Qualifiers**

X: Not ORELAP accredited.

Approved Signatory

---

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D001.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35



12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

**Cannabis Chain of Custody Record**

ORELAP ID: OR100028

		Analysis Requested															
		Pesticides – OR 59 compounds	Pesticide Multi-Residue – 379 compounds	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E.Coli and Total Coliform	Heavy Metals	Mycotoxins	Other	Matrix	Weight	Serving size for edibles	Comments/Metric ID
Field ID	Date/Time Collected								X	X				edible			Laz Nat Discount
FORM-EC69-PET.JNT10	4/5/22	X		X	X	X					X			edible			fun all tests in parallel

Purchase Order Number:  
Project Number:  
Project Name:  
 Report Instructions:  
 Send to State - METRC  
 Email Final Results:  
 Fax Final Results  
 Cash/Check/CC/Net 30  
Other:

Collected By:	Relinquished By:	Date	Time	Received by:	Date	Time	Lab Use Only:
<input checked="" type="checkbox"/> Standard (5 day)							Client Alias:
<input type="checkbox"/> Rush (3-4 day) (1.5x Standard)							Order Number:
<input type="checkbox"/> Priority Rush (2 day) (2x Standard)							Proper Container ✓
							Sample Condition ✓
							Temperature: 20.6
							Shipped Via: Courier
							Evidence of cooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023  
Effective 01/31/2019 Revised 01/31/2019

[www.pixislabs.com](http://www.pixislabs.com)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.  
Testing in accordance with: OAR 333-007-0390



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-003825/D001.R000  
**Report Date:** 04/12/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/05/22 12:35





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.