



Report Number: 23-012738/D004.R000

Report Date: 11/01/2023 ORELAP#: OR100028

Purchase Order:

Received: 10/26/23 16:11

Customer: Seventh Hill Releaf LLC

Product identity: SH 3-1 Caramel Client/Metrc ID: 301020231 Laboratory ID: 23-012738-0003

Summary

Р	o	te	n	C١	,.
	v	··	•••	v,	, .

Analyte	Result	Limits	Units	Status	THC-Total per Serving Size 33.0 mg/16g
CBD	0.0807		%		
CBD-A	0.00700		%		100 //0
CBG	0.00849		%		CBD-Total per Serving Size 13.9 mg/16g
CBN	0.00344		%		(Reported in milligrams per serving)
Δ9-THC	0.206		%		(Nepotied in milligrams per serving)
Analyte per 16g	Result	Limits	Units	Status	
CBD per 16g	12.9		mg/16g		
CBD-A per 16g	1.12		mg/16g		
CBG per 16g	1.36		mg/16g		
CBN per 16g	0.550		mg/16g		
Δ9-THC per 16g	33.0		mg/16g		





Report Number: 23-012738/D004.R000

Report Date: 11/01/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 10/26/23 16:11

Customer: Seventh Hill Releaf LLC

215 S 19th St

Springfield Oregon 97477 United States of America (USA)

Product identity: SH 3-1 Caramel **Client/Metrc ID:** 301020231

Sample Date:

Laboratory ID: 23-012738-0003

Evidence of Cooling: No
Temp: 17.7 °C
Relinquished by: shipping
Serving Size #1: 16 g

Sample Results

Potency	Method: J AOAC 2015 \	/98-6 (mod) ^þ	Units %	Batch: 2312331	Analyze: 10/27/23 8:49:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	0.0807		%	0.00318	
CBD-A	0.00700		%	0.00318	
CBD-Total	0.0868		%	0.00597	
CBG	0.00849		%	0.00318	
CBG-A	< LOQ		%	0.00318	
CBG-Total	0.00849		%	0.00593	
CBN	0.00344		%	0.00318	
$\Delta 10$ -THC-9R	< LOQ		%	0.00318	
$\Delta 10$ -THC-9S	< LOQ		%	0.00318	
$\Delta 10$ -THC-Total	< LOQ		%	0.00636	
$\Delta 8$ -THC	< LOQ		%	0.00318	
Δ9-THC	0.206		%	0.00318	
THC-A	< LOQ		%	0.00318	
THC-Total	0.206		%	0.00597	
Total Cannabinoids	0.306		%		

Potency per 16g	Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se Ba	tch: 2312331	Analyze: 10/27/23 8:49:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 16g	12.9		mg/16g	0.508	
CBD-A per 16g	1.12		mg/16g	0.508	
CBD-Total per 16g	13.9		mg/16g	0.954	
CBG per 16g	1.36		mg/16g	0.508	
CBG-A per 16g	< LOQ		mg/16g	0.508	
CBG-Total per 16g	1.36		mg/16g	0.949	
CBN per 16g	0.550		mg/16g	0.508	
$\Delta 10$ -THC-9R per 16g	< LOQ		mg/16g	0.508	
$\Delta 10$ -THC-9S per 16g	< LOQ		mg/16g	0.508	
$\Delta 10$ -THC-Total per 16g	< LOQ		mg/16g	1.02	
$\Delta 8$ -THC per 16g	< LOQ		mg/16g	0.508	
Δ9-THC per 16g	33.0		mg/16g	0.508	

www.columbialaboratories.com

Page 2 of 8





Report Number: 23-012738/D004.R000

Report Date: 11/01/2023 ORELAP#: OR100028

Purchase Order:

Received: 10/26/23 16:11

Potency per 16g	Method: J AOAC 2015 V9	Units mg/se Bat	tch: 2312331	Analyze: 10/27/23 8:49:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
THC-A per 16g	< LOQ		mg/16g	0.508	
THC-Total per 16g	33.0		mg/16g	0.954	





Report Number: 23-012738/D004.R000

Report Date: 11/01/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 10/26/23 16:11

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g mg/16g = Milligram per 16g% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-012738/D004.R000

Report Date: 11/01/2023 ORELAP#: OR100028

Purchase Order:

Received: 10/26/23 16:11

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 2312331 Spike Units 0.0323 % 0.0337 % Result Limits Evaluation Analyte LCS CBDVA CBDV Acceptable Acceptable 0.0326 101 80.0 120 0.0337 100.0 80.0 0.0358 0.0362 0.0329 0.0329 101 80.0 120 CBDA 0.0322 % 90.0 Acceptable CBGA CBG 0.0329 Acceptable 120 Acceptable 110 Acceptable 120 Acceptable 99.7 106 98.6 80.0 90.0 0.0367 CBD 0.0313 % 0.0333 0.0340 80.0 Acceptable Acceptable 0.0283 THCVA 0.0312 0.0312 100 80.0 120 120 Acceptable 120 Acceptable 120 Acceptable 110 Acceptable CBN 0.0327 0.0329 % 99.6 0.0315 0.0365 0.0314 99.9 80.0 0.0364 99.6 0.0340 Acceptable Acceptable 0.0336 98.7 90.0 110 9S-d10THC 0.0339 80.0 0.0332 % Acceptable 9R-d10THC 120 Acceptable 0.0332 98.9 80.0 0.0342 % Acceptable 0.0338 98.7 80.0 Acceptable 0.0339 101 90.0 110 % 99.7 120 120 CBCA 0.0338 Acceptable CBLA 0.0342 Acceptable 0.0345 80.0 d9THCF 0.0329 0.0334 Acceptable 0.0343

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBDV	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
CBE	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBDA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBGA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBG	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
CBD	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
THCV	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
d8THCV	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
THCVA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBN	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
exo-THC	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
d9THC	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
d8THC	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
9S-d10THC	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBL	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
9R-d10THC	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBC	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
THCA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBCA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBLA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
d9THCP	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBT	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





Report Number: 23-012738/D004.R000

Report Date: 11/01/2023 ORELAP#: OR100028

Purchase Order:

Received: 10/26/23 16:11

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6					Ba	atch ID: 2312331		
Sample Duplicate					San	nple ID: 23-012696	-0001	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBG	0.00374	0.00377	0.00308	%	0.832	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBN	0.00592	0.00583	0.00308	%	1.56	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
d9THC	0.253	0.252	0.00308	%	0.448	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 23-012738/D004.R000

Report Date: 11/01/2023 ORELAP#: OR100028

Purchase Order:

Received: 10/26/23 16:11







Report Number: 23-012738/D004.R000

Report Date: 11/01/2023 ORELAP#: OR100028

Purchase Order:

Received: 10/26/23 16:11

Explanation of QC Flag Comments:

Code	Explanation							
Q	Matrix interferences affecting spike or surrogate recoveries.							
Q1	Quality control result biased high. Only non-detect samples reported.							
Q2	Quality control outside QC limits. Data considered estimate.							
Q3	Sample concentration greater than four times the amount spiked.							
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.							
Q5	Spike results above calibration curve.							
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.							
R	Relative percent difference (RPD) outside control limit.							
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.							
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.							
LOQ1	Quantitation level raised due to low sample volume and/or dilution.							
LOQ2	Quantitaion level raised due to matrix interference.							
В	Analyte detected in method blank, but not in associated samples.							
B1	The sample concentration is greater than 5 times the blank concentration.							
B2	The sample concentration is less than 5 times the blank concentration.							