



Certificate of Analysis
Compliance Test

Client Information:

Extract Labs

1399 Horizon Ave.
Lafayette, CO 80026


Batch # 23A1031312
Batch Date: 2023-12-13
Extracted From: Hemp

Test Reg State: Colorado

Order # EXT231213-050001
Order Date: 2023-12-13
Sample # AAFD010

Sampling Date: 2023-12-19
Lab Batch Date: 2023-12-19
Completion Date: 2023-12-21

Initial Gross Weight: 7.323 g



Product Image



Potency
Tested



Residual Solvents
Passed

Potency 10
Specimen Weight: 101.660 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result		SOP13.001 (LCUV)
				(mg/g)	(%)	
CBD	10.000	5.40E-5	0.015	399.650	39.965	
CBG	10.000	2.48E-4	0.015	162.700	16.270	
CBDV	10.000	6.50E-5	0.015	2.590	0.259	
CBC	10.000	1.80E-5	0.015	1.990	0.199	
Delta-9 THC	10.000	1.30E-5	0.015	0.300	0.030	
CBN	10.000	1.40E-5	0.015	0.270	0.027	
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ	
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ	
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ	
THCV	10.000	7.00E-6	0.015	<LOQ	<LOQ	
Total Active CBD	10.000			399.650	39.965	
Total Active THC	10.000			0.300	0.030	

Potency Summary

Total Active THC 0.030%	Total Active CBD 39.965%
Total CBG 16.270%	Total CBN 0.027%
Other Cannabinoids 0.458%	Total Cannabinoids 56.750%

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBGA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per CO rule 6 CCR 1010-21. Failed - Analyte/microbe is at the level that equal or above the action limit per CO rule 6 CCR 1010-21 Sample not received via laboratory sampling.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis
Compliance Test

Client Information:

Extract Labs

1399 Horizon Ave.
Lafayette, CO 80026

Batch # 23A1031312
Batch Date: 2023-12-13
Extracted From: Hemp

Test Reg State: Colorado

Order # EXT231213-050001
Order Date: 2023-12-13
Sample # AAFD010

Sampling Date: 2023-12-19
Lab Batch Date: 2023-12-19
Completion Date: 2023-12-21

Initial Gross Weight: 7.323 g



Residual Solvents - CO

Specimen Weight: 305.100 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 500.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Limit (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Limit (ppm)	Result (ppm)
Acetone	0.015	2.08	1000	<LOQ	Isopropyl alcohol	0.0048	1.39	1000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methanol	0.0005	0.69	600	<LOQ
Butanes	0.4167	2.5	1000	<LOQ	Pentane	0.037	2.08	1000	<LOQ
Ethanol	0.0021	2.78	1000	<LOQ	Propane	0.031	5.83	1000	<LOQ
Ethyl Acetate	0.0012	1.11	1000	<LOQ	Toluene	0.0009	2.92	180	<LOQ
Heptane	0.0013	1.39	1000	134.626	Total Xylenes	0.0001	2.92	430	<LOQ
Hexane	0.068	1.17	60	<LOQ					

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

