

Prepared for:

EXTRACT LABS

1399 Horizon Ave Lafayette, CO USA 80026

Organic 2000mg CBD Muscle Cream-FS

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 1 of 4
24B1060411	Various	Finished Product	
Reported:	Started:	Received:	
11Nov2024	11Nov2024	07Nov2024	

Residual Solvents -Colorado Compliance

Test ID: T000293323

Methods: TM04 (GC-MS): Residual

Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	79 - 1572	ND	
Butanes (Isobutane, n-Butane)	159 - 3188	ND	
Methanol	59 - 1175	ND	
Pentane	83 - 1668	ND	
Ethanol	85 - 1690	ND	
Acetone	94 - 1883	ND	
Isopropyl Alcohol	95 - 1897	ND	
Hexane	6 - 118	ND	
Ethyl Acetate	95 - 1906	ND	
Benzene	0.2 - 3.7	ND	
Heptanes	92 - 1849	ND	
Toluene	17 - 343	ND	
Xylenes (m,p,o-Xylenes)	124 - 2481	ND	

Final Approval

PREPARED BY / DATE

Judith Marquez 11Nov2024

01:58:00 PM MST

APPROVED BY / DATE

Sam Smith Sawantha Smot 11Nov2024 02:15:00 PM MST



Prepared for:

EXTRACT LABS

1399 Horizon Ave Lafayette, CO USA 80026

Organic 2000mg CBD Muscle Cream-FS

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 2 of 4
24B1060411	Various	Finished Product	
Reported:	Started:	Received:	
11Nov2024	11Nov2024	07Nov2024	

Cannabinoids - Colorado Compliance

Test ID: T000293320

Methods: TM14 (HPLC-DAD): Potency - Broad

Spectrum Analysis, 0.01% THC	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
Cannabichromene (CBC)	0.007	0.021	0.100	1.00
Cannabichromenic Acid (CBCA)	0.006	0.019	ND	ND
Cannabidiol (CBD)	0.016	0.057	2.694	26.94
Cannabidiolic Acid (CBDA)	0.016	0.058	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabidivarin (CBDV)	0.004	0.013	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabidivarinic Acid (CBDVA)	0.007	0.024	ND	ND
Cannabigerol (CBG)	0.004	0.012	0.085	0.85
Cannabigerolic Acid (CBGA)	0.016	0.049	ND	ND
Cannabinol (CBN)	0.005	0.015	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabinolic Acid (CBNA)	0.011	0.034	ND	ND
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.018	0.059	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.017	0.053	0.086	0.86
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.015	0.047	ND	ND
Tetrahydrocannabivarin (THCV)	0.003	0.011	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.013	0.042	ND	ND
Total Cannabinoids			2.965	29.65
Total Potential THC			0.086	0.86
Total Potential CBD			2.694	26.94

Final Approval

Tan Days

PREPARED BY / DATE

Judith Marquez 11Nov2024

12:30:00 PM MST

Samuella Small 11Nov2024 12:35:00 PM MST

Sam Smith

APPROVED BY / DATE



Prepared for:

EXTRACT LABS

1399 Horizon Ave Lafayette, CO USA 80026

Organic 2000mg CBD Muscle Cream-FS

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 3 of 4
24B1060411	Various	Finished Product	
Reported:	Started:	Received:	
11Nov2024	11Nov2024	07Nov2024	

Microbial

Contaminants -

Colorado Compliance

Test ID: T000293321

Methods: TM25 (qPCR) TM24, TM26,

TM27 (Culture Plating): Microbial	,		Quantitation		
(Colorado Panel)	Method	LOD	Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
Salmonella	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	- Toreign matter
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	_
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	_
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	_

Final Approval

Man Danger

Nora Langer 12Nov2024 05:01:00 PM MST

Red Tehn

Brett Hudson 12Nov2024 05:40:00 PM MST

PREPARED BY / DATE

APPROVED BY / DATE

Heavy Metals -

Colorado Compliance

Test ID: T000293322

Methods: TM19 (ICP-MS): Heavy

Metals	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.04 - 4.32	ND	
Cadmium	0.04 - 4.39	ND	
Mercury	0.05 - 4.67	ND	
Lead	0.05 - 4.82	ND	

Final Approval

Judith Marquez 12Nov2024 12:45:00 PM MST

Somentha Smill 12NOV2U24 02:36:00 PM MST

Sam Smith

PREPARED BY / DATE

APPROVED BY / DATE



Prepared for:

EXTRACT LABS

1399 Horizon Ave Lafayette, CO USA 80026

Organic 2000mg CBD Muscle Cream-FS

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 4 of 4
24B1060411	Various	Finished Product	
Reported:	Started:	Received:	
11Nov2024	11Nov2024	07Nov2024	

Mycotoxins - Colorado Compliance

Test ID: T000293324

Methods: TM18 (UHPLC-QQQ

LCMS/MS): Mycotoxins	Dynamic Range (ppb)	Result (ppb)	Notes
Ochratoxin A	4.13 - 136.88	ND	N/A
Aflatoxin B1	1.04 - 33.93	ND	
Aflatoxin B2	0.94 - 33.12	ND	
Aflatoxin G1	1.17 - 33.74	ND	
Aflatoxin G2	1.14 - 33.93	ND	
Total Aflatoxins (B1, B2, G1, ar	nd G2)	ND	

Final Approval

Internheumer 08:11:00 AM MST

Karen Winternheimer 15Nov2024

PREPARED BY / DATE

Samantha Smul

Sam Smith 15Nov2024

APPROVED BY / DATE



https://results.botanacor.com/api/v1/coas/uuid/9f58e055-c949-416c-a23f-75f101a91ee7

Definitions

LOD = Limit of Detection, ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation, PPB = Parts per Billion, % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC + (Delta 9-THC + (Delta 9-THC + (0.877)) and Total CBD = CBD + (CBDa *(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty. Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCa *(0.877)). ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method), CFU/g = Colony Forming Units per Gram. Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10^2 = 100 CFU, 10^3 = 1,000 CFU, 10^4 = 10,000 CFU, 10^5 = 100,000 CFU.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological. Some tests listed on this COA may not be within our scope of A2LA accreditation. Please visit A2LA for more details.





9f58e055c949416ca23f75f101a91ee7.1



Hemp Quality Assurance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED 11/11/2024

SAMPLE NAME: Organic 2000mg CBD Muscle Cream-FS

Infused, Topical

CULTIVATOR / MANUFACTURER

Business Name: License Number:

Address:

SAMPLE DETAIL

Batch Number: 24B1060411 Sample ID: 241107K150

DISTRIBUTOR / TESTED FOR

Business Name: Extract Labs

License Number:

Address:

Date Collected: 11/07/2024 Date Received: 11/07/2024

Batch Size:

Sample Size: 1.0 units

Unit Mass: Serving Size:





Scan QR code to verify authenticity of results.

SAFETY ANALYSIS - SUMMARY

Pesticides: PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

LQC verified by: Maria Garcia Job Title: Senior Laboratory Analyst Date: 11/11/2024

Approved by: Josh Wurzer Title: Chief Compliance Officer Date: 11/11/2024

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT)



DATE ISSUED 11/11/2024





Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS). ‡Analytes part of our California Select Panel.

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

PESTICIDE TEST RESULTS - 11/11/2024 PASS

Abamectin 0.032 / 0.097 0.3 N/A ND PASS Acepulate 0.006 / 0.018 5 N/A ND PASS Acequinocyl 0.009 / 0.027 4 N/A ND PASS Acetamiprid 0.016 / 0.049 5 N/A ND PASS Aldicarb 0.030 / 0.092 N/A ND PASS Allethrin 0.030 / 0.092 N/A ND Atrazine 0.006 / 0.019 N/A ND Azadirachtin 0.082 / 0.248 N/A ND Azoxystrobin 0.003 / 0.009 40 N/A ND Benzovindiflupyr 0.003 / 0.009 5 N/A ND PASS Benzovindiflupyr 0.003 / 0.009 5 N/A ND PASS Bifenthrin 0.021 / 0.064 0.5 N/A ND PASS Boscalid 0.003 / 0.009 10 N/A ND PASS Buprofezin¹ 0.004 / 0.013 5 N/A	COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Acequinocyl 0.009/0.027 4 N/A ND PASS Acetamiprid 0.016/0.049 5 N/A ND PASS Aldicarb 0.030/0.090 ≥ LOD N/A ND PASS Allethrin 0.030/0.092 N/A ND NA Atrazine 0.006/0.019 N/A ND Azadirachtin 0.082/0.248 N/A ND Azadirachtin 0.082/0.248 N/A ND PASS Benzovindiflupyr 0.003/0.009 40 N/A ND PASS Benzovindiflupyr 0.003/0.009 5 N/A ND PASS Bifenthrin 0.021/0.064 0.5 N/A ND PASS Boscalid 0.003/0.009 10 N/A ND PASS Boscalid 0.003/0.009 10 N/A ND PASS Carbaryl 0.004/0.0135 5 N/A ND PASS Carbaryl 0.007/0.020 0.5 N/A	Abamectin	0.032 / 0.097	0.3	N/A	ND	PASS
Acetamiprid 0.016/0.049 5 N/A ND PASS Aldicarb 0.030/0.090 ≥ LOD N/A ND PASS Allethrin 0.030/0.092 N/A ND ND Atrazine 0.006/0.019 N/A ND ND Azadirachtin 0.082/0.248 N/A ND PASS Benzovindiflupyr 0.003/0.009 40 N/A ND PASS Benzovindiflupyr 0.003/0.009 5 N/A ND PASS Bifenthrin 0.021/0.064 0.5 N/A ND PASS Boscalid 0.003/0.009 10 N/A ND PASS Buprofezin¹ 0.006/0.019 N/A ND PASS Carbanyl 0.007/0.020 0.5 N/A ND PASS Carbanyl 0.007/0.020 0.5 N/A ND PASS Chlorantraniliprole 0.006/0.018 40 N/A ND PASS Chlordenapyr*	Acephate	0.006 / 0.018	5	N/A	ND	PASS
Aldicarb 0.030 / 0.090 ≥ LOD N/A ND PASS Allethrin 0.030 / 0.092 N/A ND Atrazine 0.006 / 0.019 N/A ND Azadirachtin 0.082 / 0.248 N/A ND Azoxystrobin 0.003 / 0.009 40 N/A ND Bifenazate 0.003 / 0.009 5 N/A ND PASS Bifenthrin 0.021 / 0.064 0.5 N/A ND PASS Boscalid 0.003 / 0.009 10 N/A ND PASS Buprofezin† 0.006 / 0.019 N/A ND PASS Buprofezin† 0.006 / 0.019 N/A ND PASS Carbaryl 0.007 / 0.020 0.5 N/A ND PASS Carbaryl 0.007 / 0.020 0.5 N/A ND PASS Chlorantaniliprole 0.004 / 0.018 40 N/A ND PASS Chlordan* 0.010 / 0.032 ≥ LOD N/A ND	Acequinocyl	0.009/0.027	4	N/A	ND	PASS
Allethrin 0.030/0.092 N/A ND Atrazine 0.006/0.019 N/A ND Azadirachtin 0.082/0.248 N/A ND Azoxystrobin 0.003/0.009 40 N/A ND Benzovindifflupyr 0.003/0.009 5 N/A ND Bifenzate 0.003/0.009 5 N/A ND PASS Bifenthrin 0.021/0.064 0.5 N/A ND PASS Boscalid 0.003/0.009 10 N/A ND PASS Buprofezin¹ 0.006/0.019 N/A ND PASS Carban 0.045/0.135 5 N/A ND PASS Carbaryl 0.007/0.020 0.5 N/A ND PASS Carboryl 0.006/0.018 40 N/A ND PASS Chlorantraniliprole 0.006/0.018 40 N/A ND PASS Chlordrane* 0.010/0.032 ≥ LOD N/A ND PASS <th>Acetamiprid</th> <td>0.016 / 0.049</td> <td>5</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Acetamiprid	0.016 / 0.049	5	N/A	ND	PASS
Atrazine 0.006 / 0.019 N/A ND Azadirachtin 0.082 / 0.248 N/A ND Azoxystrobin 0.003 / 0.009 40 N/A ND Benzovindiflupyr 0.003 / 0.009 N/A ND Bifenazate 0.003 / 0.009 5 N/A ND Bifenthrin 0.021 / 0.064 0.5 N/A ND PASS Bifenthrin 0.021 / 0.064 0.5 N/A ND PASS Buprofezir¹ 0.006 / 0.019 N/A ND PASS Buprofezir¹ 0.006 / 0.019 N/A ND PASS Carban 0.045 / 0.135 5 N/A ND PASS Carbaryl 0.007 / 0.020 0.5 N/A ND PASS Carbofuran 0.003 / 0.008 ≥ LOD N/A ND PASS Chlordane* 0.010 / 0.032 ≥ LOD N/A ND PASS Chlordane* 0.010 / 0.032 ≥ LOD N/A ND PASS<	Aldicarb	0.030 / 0.090	≥ LOD	N/A	ND	PASS
Azadirachtin 0.082/0.248 N/A ND Azoxystrobin 0.003/0.009 40 N/A ND PASS Benzovindiflupyr 0.003/0.009 N/A ND PASS Bifentazate 0.003/0.009 5 N/A ND PASS Bifenthrin 0.021/0.064 0.5 N/A ND PASS Boscalid 0.003/0.009 10 N/A ND PASS Buprofezin¹ 0.006/0.019 N/A ND PASS Carbar 0.045/0.135 5 N/A ND PASS Carbaryl 0.007/0.020 0.5 N/A ND PASS Chlorantraniliprole 0.004/0.018 40 N/A ND PASS Chlordane* 0.010/0.032 ≥ LOD N/A ND PASS Chlormequat chloride 0.022/0.066 N/A ND PASS Chlormequat chloride 0.022/0.066 N/A ND PASS Clofentezine 0.003/0.01	Allethrin	0.030 / 0.092		N/A	ND	
Azoxystrobin 0.003 / 0.009 40 N/A ND PASS Benzovindiflupyr 0.003 / 0.009 N/A ND PASS Bifenazate 0.003 / 0.009 5 N/A ND PASS Bifenthrin 0.021 / 0.064 0.5 N/A ND PASS Boscalid 0.003 / 0.009 10 N/A ND PASS Buprofezin¹ 0.006 / 0.019 N/A ND PASS Carban 0.045 / 0.135 5 N/A ND PASS Carboryl 0.007 / 0.020 0.5 N/A ND PASS Carborturan 0.003 / 0.008 ≥ LOD N/A ND PASS Chloratraniliprole 0.004 / 0.018 40 N/A ND PASS Chlordane* 0.010 / 0.032 ≥ LOD N/A ND PASS Chlorequat chloride 0.022 / 0.066 N/A ND PASS Chlorepyfrios 0.013 / 0.039 ≥ LOD N/A ND <t< td=""><th>Atrazine</th><td>0.006 / 0.019</td><td></td><td>N/A</td><td>ND</td><td></td></t<>	Atrazine	0.006 / 0.019		N/A	ND	
Benzovindiflupyr 0.003 / 0.009 N/A ND Bifenazate 0.003 / 0.009 5 N/A ND PASS Bifenthrin 0.021 / 0.064 0.5 N/A ND PASS Boscalid 0.003 / 0.009 10 N/A ND PASS Buprofezin¹ 0.006 / 0.019 N/A ND PASS Carban 0.045 / 0.135 5 N/A ND PASS Carbaryl 0.007 / 0.020 0.5 N/A ND PASS Carbofuran 0.003 / 0.008 ≥ LOD N/A ND PASS Chlorattraniliprole 0.006 / 0.018 40 N/A ND PASS Chlordan** 0.010 / 0.032 ≥ LOD N/A ND PASS Chlordany** 0.005 / 0.015 ≥ LOD N/A ND PASS Chlordany** 0.002 / 0.066 N/A ND PASS Chlorpyrifos 0.013 / 0.039 ≥ LOD N/A ND PASS <tr< td=""><th>Azadirachtin</th><td>0.082 / 0.248</td><td></td><td>N/A</td><td>ND</td><td></td></tr<>	Azadirachtin	0.082 / 0.248		N/A	ND	
Bifenazate 0.003 / 0.009 5 N/A ND PASS Bifenthrin 0.021 / 0.064 0.5 N/A ND PASS Boscalid 0.003 / 0.009 10 N/A ND PASS Buprofezin¹ 0.006 / 0.019 N/A ND PASS Captan 0.045 / 0.135 5 N/A ND PASS Carbaryl 0.007 / 0.020 0.5 N/A ND PASS Carbofuran 0.003 / 0.008 ≥ LOD N/A ND PASS Chlorantraniliprole 0.006 / 0.018 40 N/A ND PASS Chlordane* 0.010 / 0.032 ≥ LOD N/A ND PASS Chlordenapyr* 0.005 / 0.015 ≥ LOD N/A ND PASS Chlormequat chloride 0.022 / 0.066 N/A ND PASS Chlormequat chloride 0.022 / 0.066 N/A ND PASS Clofentezine 0.003 / 0.009 0.5 N/A ND	Azoxystrobin	0.003 / 0.009	40	N/A	ND	PASS
Bifenthrin 0.021/0.064 0.5 N/A ND PASS Boscalid 0.003/0.009 10 N/A ND PASS Buprofezin† 0.006/0.019 N/A ND PASS Captan 0.045/0.135 5 N/A ND PASS Carboryl 0.007/0.020 0.5 N/A ND PASS Carbofuran 0.003/0.008 ≥ LOD N/A ND PASS Chlorantraniliprole 0.006/0.018 40 N/A ND PASS Chlordane* 0.010/0.032 ≥ LOD N/A ND PASS Chlorfenapyr* 0.005/0.015 ≥ LOD N/A ND PASS Chlormequat chloride 0.022/0.066 N/A ND PASS Clofentezine 0.003/0.039 ≥ LOD N/A ND PASS Clofentezine 0.003/0.009 0.5 N/A ND PASS Clothianidin 0.003/0.0010 ≥ LOD N/A ND	Benzovindiflupyr	0.003 / 0.009		N/A	ND	
Boscalid 0.003 / 0.009 10 N/A ND PASS Buprofezin [‡] 0.006 / 0.019 N/A ND Captan 0.045 / 0.135 5 N/A ND PASS Carbaryl 0.007 / 0.020 0.5 N/A ND PASS Carbofuran 0.003 / 0.008 ≥ LOD N/A ND PASS Chlorantraniliprole 0.006 / 0.018 40 N/A ND PASS Chlordane* 0.010 / 0.032 ≥ LOD N/A ND PASS Chlorfenapyr* 0.005 / 0.015 ≥ LOD N/A ND PASS Chlormequat chloride 0.022 / 0.066 N/A ND PASS Clofentezine 0.003 / 0.039 ≥ LOD N/A ND PASS Clofentezine 0.003 / 0.025 N/A ND PASS Clothianidin 0.008 / 0.025 N/A ND PASS Cyantraniliprole 0.003 / 0.010 ≥ LOD N/A ND PASS Cyper	Bifenazate	0.003 / 0.009	5	N/A	ND	PASS
Buprofezin† 0.006 / 0.019 N/A ND Captan 0.045 / 0.135 5 N/A ND PASS Carbaryl 0.007 / 0.020 0.5 N/A ND PASS Carbofuran 0.003 / 0.008 ≥ LOD N/A ND PASS Chlorantraniliprole 0.006 / 0.018 40 N/A ND PASS Chlordane* 0.010 / 0.032 ≥ LOD N/A ND PASS Chlordane* 0.005 / 0.015 ≥ LOD N/A ND PASS Chlormequat chloride 0.022 / 0.066 N/A ND PASS Chlorpyrifos 0.013 / 0.039 ≥ LOD N/A ND PASS Clofentezine 0.003 / 0.009 0.5 N/A ND PASS Clofentezine 0.003 / 0.009 0.5 N/A ND PASS Clofentezine 0.003 / 0.010 ≥ LOD N/A ND PASS Clothianidin 0.008 / 0.025 1 N/A ND	Bifenthrin	0.021 / 0.064	0.5	N/A	ND	PASS
Captan 0.045 / 0.135 5 N/A ND PASS Carbaryl 0.007 / 0.020 0.5 N/A ND PASS Carbofuran 0.003 / 0.008 ≥ LOD N/A ND PASS Chlorantraniliprole 0.006 / 0.018 40 N/A ND PASS Chlordane* 0.010 / 0.032 ≥ LOD N/A ND PASS Chlordaneyr* 0.005 / 0.015 ≥ LOD N/A ND PASS Chlormequat chloride 0.022 / 0.066 N/A ND PASS Chlorpyrifos 0.013 / 0.039 ≥ LOD N/A ND PASS Clofentezine 0.003 / 0.009 0.5 N/A ND PASS Clothianidin 0.008 / 0.025 N/A ND PASS Clothianidin 0.008 / 0.025 N/A ND PASS Cyantraniliprole 0.003 / 0.010 N/A ND PASS Cyprodinili 0.003 / 0.010 N/A ND PASS <t< td=""><th>Boscalid</th><td>0.003 / 0.009</td><td>10</td><td>N/A</td><td>ND</td><td>PASS</td></t<>	Boscalid	0.003 / 0.009	10	N/A	ND	PASS
Carbaryl 0.007/0.020 0.5 N/A ND PASS Carbofuran 0.003/0.008 ≥ LOD N/A ND PASS Chlorantraniliprole 0.006/0.018 40 N/A ND PASS Chlordane* 0.010/0.032 ≥ LOD N/A ND PASS Chlordane* 0.005/0.015 ≥ LOD N/A ND PASS Chlordane* 0.005/0.015 ≥ LOD N/A ND PASS Chlordane* 0.005/0.016 N/A ND PASS Chlordane* 0.005/0.016 N/A ND PASS Chlordane* 0.005/0.009 0.5 N/A ND PASS Chlordane* 0.003/0.009 0.5 N/A ND PASS Clofentezine 0.003/0.009 0.5 N/A ND PASS Clothianidin 0.003/0.009 0.5 N/A ND PASS Cyantraniliprole 0.003/0.010 N/A ND PASS	Buprofezin [‡]	0.006/0.019		N/A	ND	
Carbofuran 0.003/0.008 ≥ LOD N/A ND PASS Chlorantraniliprole 0.006/0.018 40 N/A ND PASS Chlordane* 0.010/0.032 ≥ LOD N/A ND PASS Chlorfenapyr* 0.005/0.015 ≥ LOD N/A ND PASS Chlormequat chloride 0.022/0.066 N/A ND ND PASS Chlorpyrifos 0.013/0.039 ≥ LOD N/A ND PASS Clofentezine 0.003/0.009 0.5 N/A ND PASS Clofentezine 0.003/0.009 0.5 N/A ND PASS Clofentezine 0.003/0.001 ≥ LOD N/A ND PASS Clofentezine 0.003/0.0025 N/A ND PASS Clothianidin 0.003/0.010 ≥ LOD N/A ND PASS Cyantraniliprole 0.003/0.010 N/A ND PASS Cyantraniliprole 0.003/0.010 N/A ND PASS <th>Captan</th> <td>0.045 / 0.135</td> <td>5</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Captan	0.045 / 0.135	5	N/A	ND	PASS
Chlorantraniliprole 0.006/0.018 40 N/A ND PASS Chlordane* 0.010/0.032 ≥ LOD N/A ND PASS Chlorfenapyr* 0.005/0.015 ≥ LOD N/A ND PASS Chlormequat chloride 0.022/0.066 N/A ND ND PASS Chlorpyrifos 0.013/0.039 ≥ LOD N/A ND PASS Clofentezine 0.003/0.009 0.5 N/A ND PASS Clothianidin 0.008/0.025 N/A ND PASS Coumaphos 0.003/0.010 ≥ LOD N/A ND PASS Cyfluthrin 0.052/0.159 1 N/A ND PASS Cypremethrin 0.051/0.153 1 N/A ND PASS Cyprodinil* 0.003/0.008 N/A ND PASS Cyprodinil* 0.004/0.017 ≥ LOD N/A ND PASS Dilatinon 0.006/0.017 0.2 N/A ND	Carbaryl	0.007 / 0.020	0.5	N/A	ND	PASS
Chlordane* 0.010/0.032 ≥ LOD N/A ND PASS Chlorfenapyr* 0.005/0.015 ≥ LOD N/A ND PASS Chlormequat chloride 0.022/0.066 N/A ND ND Chlorpyrifos 0.013/0.039 ≥ LOD N/A ND PASS Clofentezine 0.003/0.009 0.5 N/A ND PASS Clothianidin 0.008/0.025 N/A ND PASS Clothianidin 0.008/0.025 N/A ND PASS Cyantraniliprole 0.003/0.010 ≥ LOD N/A ND PASS Cyfluthrin 0.052/0.159 1 N/A ND PASS Cypremethrin 0.051/0.153 1 N/A ND PASS Cyprodinil* 0.003/0.008 N/A ND PASS Cyprodinil* 0.004/0.077 ≥ LOD N/A ND PASS Deltamethrin 0.059/0.180 N/A ND PASS Dichlorvo	Carbofuran	0.003 / 0.008	≥LOD	N/A	ND	PASS
Chlorfenapyr* 0.005 / 0.015 ≥ LOD N/A ND PASS Chlormequat chloride 0.022 / 0.066 N/A ND Chlorpyrifos 0.013 / 0.039 ≥ LOD N/A ND PASS Clofentezine 0.003 / 0.009 0.5 N/A ND PASS Clothianidin 0.008 / 0.025 N/A ND ND PASS Clothianidin 0.003 / 0.010 N/A ND PASS Cyantraniliprole 0.003 / 0.010 N/A ND PASS Cyfluthrin 0.052 / 0.159 1 N/A ND PASS Cypremethrin 0.051 / 0.153 1 N/A ND PASS Cyprodinil* 0.003 / 0.008 N/A ND PASS Cyprodinil* 0.003 / 0.008 N/A ND PASS Deltamethrin 0.059 / 0.180 N/A ND PASS Diazinon 0.006 / 0.017 0.2 N/A ND PASS Dimethoate 0.003	Chlorantraniliprole	0.006 / 0.018	40	N/A	ND	PASS
Chlormequat chloride 0.022 / 0.066 N/A ND Chlorpyrifos 0.013 / 0.039 ≥ LOD N/A ND PASS Clofentezine 0.003 / 0.009 0.5 N/A ND PASS Clothianidin 0.008 / 0.025 N/A ND ND PASS Coumaphos 0.003 / 0.010 N/A ND PASS Cyantraniliprole 0.003 / 0.010 N/A ND PASS Cyfluthrin 0.052 / 0.159 1 N/A ND PASS Cypermethrin 0.051 / 0.153 1 N/A ND PASS Cyprodinil* 0.003 / 0.008 N/A ND PASS Cyprodinil* 0.003 / 0.008 N/A ND PASS Deltamethrin 0.059 / 0.180 N/A ND PASS Diazinon 0.006 / 0.017 0.2 N/A ND PASS Dimethoate 0.003 / 0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016 / 0	Chlordane*	0.010 / 0.032	≥LOD	N/A	ND	PASS
Chlorpyrifos 0.013 / 0.039 ≥ LOD N/A ND PASS Clofentezine 0.003 / 0.009 0.5 N/A ND PASS Clothianidin 0.008 / 0.025 N/A ND ND Coumaphos 0.003 / 0.010 N/A ND PASS Cyantraniliprole 0.003 / 0.010 N/A ND PASS Cyfluthrin 0.052 / 0.159 1 N/A ND PASS Cypermethrin 0.051 / 0.153 1 N/A ND PASS Cyprodinil† 0.003 / 0.008 N/A ND PASS Deltamethrin 0.059 / 0.180 N/A ND PASS Diazinon 0.006 / 0.017 0.2 N/A ND PASS Dichlorvos (DDVP) 0.012 / 0.038 ≥ LOD N/A ND PASS Dimethoate 0.003 / 0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016 / 0.050 20 N/A ND Diuron	Chlorfenapyr*	0.005 / 0.015	≥LOD	N/A	ND	PASS
Clofentezine 0.003 / 0.009 0.5 N/A ND PASS Clothianidin 0.008 / 0.025 N/A ND ND Coumaphos 0.003 / 0.010 ≥ LOD N/A ND PASS Cyantraniliprole 0.003 / 0.010 N/A ND ND PASS Cyfluthrin 0.052 / 0.159 1 N/A ND PASS Cypremethrin 0.051 / 0.153 1 N/A ND PASS Cyprodinil [‡] 0.003 / 0.008 N/A ND PASS Deltamethrin 0.026 / 0.077 ≥ LOD N/A ND PASS Dichlorvos (DDVP) 0.012 / 0.038 ≥ LOD N/A ND PASS Dimethoate 0.003 / 0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016 / 0.050 20 N/A ND PASS Dinotefuran 0.010 / 0.030 N/A ND ND PASS Dinotefuran 0.012 / 0.035 N/A ND	Chlormequat chloride	0.022 / 0.066		N/A	ND	
Clothianidin $0.008/0.025$ N/A ND Coumaphos $0.003/0.010$ ≥ LOD N/A ND PASS Cyantraniliprole $0.003/0.010$ N/A ND PASS Cyfluthrin $0.052/0.159$ 1 N/A ND PASS Cypermethrin $0.051/0.153$ 1 N/A ND PASS Cyprodinil‡ $0.003/0.008$ N/A ND PASS Cyprodinil‡ $0.003/0.008$ N/A ND PASS Deltamethrin $0.059/0.180$ N/A ND PASS Deltamethrin $0.059/0.180$ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ ≥ LOD N/A ND PASS Dimethoate $0.003/0.009$ ≥ LOD N/A ND PASS Dimethomorph $0.016/0.050$ 20 N/A ND PASS Dinotefuran $0.013/0.040$ N/A ND ND Diuron $0.013/0.040$ N/A<	Chlorpyrifos	0.013 / 0.039	≥LOD	N/A	ND	PASS
Coumaphos 0.003 / 0.010 ≥ LOD N/A ND PASS Cyantraniliprole 0.003 / 0.010 N/A ND ND Cyfluthrin 0.052 / 0.159 1 N/A ND PASS Cypermethrin 0.051 / 0.153 1 N/A ND PASS Cyprodinil [‡] 0.003 / 0.008 N/A ND PASS Cyprodinil [‡] 0.003 / 0.008 N/A ND PASS Deltamethrin 0.026 / 0.077 ≥ LOD N/A ND PASS Deltamethrin 0.059 / 0.180 N/A ND PASS Dichlorvos (DDVP) 0.012 / 0.038 ≥ LOD N/A ND PASS Dimethoate 0.003 / 0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016 / 0.050 20 N/A ND PASS Dinotefuran 0.010 / 0.030 N/A ND ND Diuron 0.013 / 0.040 N/A ND Dodemorph 0.016 / 0.048<	Clofentezine	0.003 / 0.009	0.5	N/A	ND	PASS
Cyantraniliprole 0.003 / 0.010 N/A ND Cyfluthrin 0.052 / 0.159 1 N/A ND PASS Cypermethrin 0.051 / 0.153 1 N/A ND PASS Cyprodinil [‡] 0.003 / 0.008 N/A ND ND Daminozide 0.026 / 0.077 ≥ LOD N/A ND PASS Deltamethrin 0.059 / 0.180 N/A ND PASS Dizajinon 0.006 / 0.017 0.2 N/A ND PASS Dichlorvos (DDVP) 0.012 / 0.038 ≥ LOD N/A ND PASS Dimethoate 0.003 / 0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016 / 0.050 20 N/A ND PASS Dinotefuran 0.010 / 0.030 N/A ND ND Diuron 0.013 / 0.040 N/A ND ND Endosulfan sulfate 0.016 / 0.048 N/A ND ND Endosulfan -α* 0.004 / 0.01	Clothianidin	0.008 / 0.025		N/A	ND	
Cyfluthrin 0.052 / 0.159 1 N/A ND PASS Cypermethrin 0.051 / 0.153 1 N/A ND PASS Cyprodinil‡ 0.003 / 0.008 N/A ND ND Daminozide 0.026 / 0.077 ≥ LOD N/A ND PASS Deltamethrin 0.059 / 0.180 N/A ND ND PASS Dichlorvos (DDVP) 0.012 / 0.038 ≥ LOD N/A ND PASS Dimethoate 0.003 / 0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016 / 0.050 20 N/A ND PASS Dinotefuran 0.010 / 0.030 N/A ND ND Diuron 0.013 / 0.040 N/A ND Endosulfan sulfate 0.016 / 0.048 N/A ND Endosulfan-α* 0.004 / 0.014 N/A ND	Coumaphos	0.003/0.010	≥LOD	N/A	ND	PASS
Cypermethrin $0.051/0.153$ 1 N/A ND PASS Cyprodinil† $0.003/0.008$ N/A ND ND Daminozide $0.026/0.077$ ≥ LOD N/A ND PASS Deltamethrin $0.059/0.180$ N/A ND ND PASS Diazinon $0.006/0.017$ 0.2 N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ ≥ LOD N/A ND PASS Dimethoate $0.003/0.009$ ≥ LOD N/A ND PASS Dimethomorph $0.016/0.050$ 20 N/A ND PASS Dinotefuran $0.010/0.030$ N/A ND ND Diuron $0.013/0.040$ N/A ND Dodemorph $0.012/0.035$ N/A ND Endosulfan sulfate $0.016/0.048$ N/A ND Endosulfan-α* $0.004/0.014$ N/A ND	Cyantraniliprole	0.003/0.010		N/A	ND	
Cyprodinil‡ $0.003/0.008$ N/A ND Daminozide $0.026/0.077$ ≥ LOD N/A ND PASS Deltamethrin $0.059/0.180$ N/A ND ND ND PASS Diazinon $0.006/0.017$ 0.2 N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ ≥ LOD N/A ND PASS Dimethoate $0.003/0.009$ ≥ LOD N/A ND PASS Dimethomorph $0.016/0.050$ 20 N/A ND PASS Dinotefuran $0.010/0.030$ N/A ND ND Diuron $0.013/0.040$ N/A ND ND Dodemorph $0.012/0.035$ N/A ND ND Endosulfan sulfate $0.016/0.048$ N/A ND Endosulfan-α* $0.004/0.014$ N/A ND	Cyfluthrin	0.052 / 0.159	1	N/A	ND	PASS
Daminozide $0.026/0.077$ ≥ LOD N/A ND PASS Deltamethrin $0.059/0.180$ N/A ND ND Diazinon $0.006/0.017$ 0.2 N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ ≥ LOD N/A ND PASS Dimethoate $0.003/0.009$ ≥ LOD N/A ND PASS Dimethomorph $0.016/0.050$ 20 N/A ND PASS Dinotefuran $0.010/0.030$ N/A ND ND Diuron $0.013/0.040$ N/A ND Dodemorph $0.012/0.035$ N/A ND Endosulfan sulfate $0.016/0.048$ N/A ND Endosulfan-α* $0.004/0.014$ N/A ND	Cypermethrin	0.051 / 0.153	1	N/A	ND	PASS
Deltamethrin 0.059 / 0.180 N/A ND Diazinon 0.006 / 0.017 0.2 N/A ND PASS Dichlorvos (DDVP) 0.012 / 0.038 ≥ LOD N/A ND PASS Dimethoate 0.003 / 0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016 / 0.050 20 N/A ND PASS Dinotefuran 0.010 / 0.030 N/A ND ND Diuron 0.013 / 0.040 N/A ND Dodemorph 0.012 / 0.035 N/A ND Endosulfan sulfate 0.016 / 0.048 N/A ND Endosulfan-α* 0.004 / 0.014 N/A ND	Cyprodinil [‡]	0.003 / 0.008		N/A	ND	
Diazinon 0.006 / 0.017 0.2 N/A ND PASS Dichlorvos (DDVP) 0.012 / 0.038 ≥ LOD N/A ND PASS Dimethoate 0.003 / 0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016 / 0.050 20 N/A ND PASS Dinotefuran 0.010 / 0.030 N/A ND Diuron 0.013 / 0.040 N/A ND Dodemorph 0.012 / 0.035 N/A ND Endosulfan sulfate 0.016 / 0.048 N/A ND Endosulfan-α* 0.004 / 0.014 N/A ND	Daminozide	0.026 / 0.077	≥LOD	N/A	ND	PASS
Dichlorvos (DDVP) 0.012/0.038 ≥ LOD N/A ND PASS Dimethoate 0.003/0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016/0.050 20 N/A ND PASS Dinotefuran 0.010/0.030 N/A ND Diuron 0.013/0.040 N/A ND Dodemorph 0.012/0.035 N/A ND Endosulfan sulfate 0.016/0.048 N/A ND Endosulfan-α* 0.004/0.014 N/A ND	Deltamethrin	0.059 / 0.180		N/A	ND	
Dimethoate 0.003/0.009 ≥ LOD N/A ND PASS Dimethomorph 0.016/0.050 20 N/A ND PASS Dinotefuran 0.010/0.030 N/A ND Diuron 0.013/0.040 N/A ND Dodemorph 0.012/0.035 N/A ND Endosulfan sulfate 0.016/0.048 N/A ND Endosulfan-α* 0.004/0.014 N/A ND	Diazinon	0.006 / 0.017	0.2	N/A	ND	PASS
Dimethomorph 0.016/0.050 20 N/A ND PASS Dinotefuran 0.010/0.030 N/A ND Diuron 0.013/0.040 N/A ND Dodemorph 0.012/0.035 N/A ND Endosulfan sulfate 0.016/0.048 N/A ND Endosulfan-α* 0.004/0.014 N/A ND	Dichlorvos (DDVP)	0.012 / 0.038	≥LOD	N/A	ND	PASS
Dinotefuran 0.010 / 0.030 N/A ND Diuron 0.013 / 0.040 N/A ND Dodemorph 0.012 / 0.035 N/A ND Endosulfan sulfate 0.016 / 0.048 N/A ND Endosulfan-α* 0.004 / 0.014 N/A ND	Dimethoate	0.003 / 0.009	≥LOD	N/A	ND	PASS
Diuron 0.013 / 0.040 N/A ND Dodemorph 0.012 / 0.035 N/A ND Endosulfan sulfate 0.016 / 0.048 N/A ND Endosulfan-α* 0.004 / 0.014 N/A ND	Dimethomorph	0.016 / 0.050	20	N/A	ND	PASS
Dodemorph 0.012 / 0.035 N/A ND Endosulfan sulfate 0.016 / 0.048 N/A ND Endosulfan-α* 0.004 / 0.014 N/A ND	Dinotefuran	0.010/0.030		N/A	ND	
Endosulfan sulfate 0.016 / 0.048 N/A ND Endosulfan-α* 0.004 / 0.014 N/A ND	Diuron	0.013 / 0.040		N/A	ND	
Endosulfan-α* 0.004 / 0.014 N/A ND	Dodemorph	0.012 / 0.035		N/A	ND	
	Endosulfan sulfate	0.016 / 0.048		N/A	ND	
Endosulfan-β* 0.006 / 0.019 N/A ND	Endosulfan- α *	0.004/0.014		N/A	ND	
	Endosulfan-β*	0.006 / 0.019		N/A	ND	

Continued on next page



DATE ISSUED 11/11/2024





Pesticide Analysis Continued

PESTICIDE TEST RESULTS - 11/11/2024 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (μg/g)	RESULT
Ethoprophos	0.003 / 0.009	≥ LOD	N/A	ND	PASS
Etofenprox	0.014/0.042	≥LOD	N/A	ND	PASS
Etoxazole	0.007/0.020	1.5	N/A	ND	PASS
Etridiazole*	0.002 / 0.005		N/A	ND	
Fenhexamid	0.003 / 0.008	10	N/A	ND	PASS
Fenoxycarb	0.003/0.010	≥LOD	N/A	ND	PASS
Fenpyroximate	0.007 / 0.020	2	N/A	ND	PASS
Fensulfothion	0.003/0.010		N/A	ND	
Fenthion	0.003/0.010		N/A	ND	
Fenvalerate [‡]	0.033 / 0.099		N/A	ND	
Fipronil	0.003/0.010	≥LOD	N/A	ND	PASS
Flonicamid	0.007/0.022	2	N/A	ND	PASS
Fludioxonil	0.003/0.010	30	N/A	ND	PASS
Fluopyram [‡]	0.003 / 0.009		N/A	ND	
Hexythiazox	0.003/0.010	2	N/A	ND	PASS
lmazalil	0.003 / 0.009	≥LOD	N/A	ND	PASS
Imidacloprid	0.003/0.010	3	N/A	ND	PASS
Iprodione	0.077 / 0.233		N/A	ND	
Kinoprene	0.077 / 0.233		N/A	ND	
Kresoxim-methyl	0.006/0.019	1	N/A	ND	PASS
λ-Cyhalothrin	0.068 / 0.206		N/A	ND	
Malathion	0.003 / 0.009	5	N/A	ND	PASS
Metalaxyl	0.003/0.010	15	N/A	ND	PASS
Methiocarb	0.003 / 0.008	≥LOD	N/A	ND	PASS
Methomyl	0.008/0.025	0.1	N/A	ND	PASS
Methoprene [‡]	0.172 / 0.521		N/A	ND	
Mevinphos	0.008/0.024	≥LOD	N/A	ND	PASS
MGK-264	0.015 / 0.047		N/A	ND	
Myclobutanil	0.003 / 0.009	9	N/A	ND	PASS
Naled	0.021/0.064	0.5	N/A	ND	PASS
Novaluron	0.002 / 0.005		N/A	ND	
Oxamyl	0.017/0.051	0.2	N/A	ND	PASS
Paclobutrazol	0.003/0.010	≥LOD	N/A	ND	PASS
Parathion-methyl	0.016 / 0.050	≥LOD	N/A	ND	PASS
Pentachloronitro- benzene (Quintozene)*	0.004/0.012	0.2	N/A	ND	PASS
Permethrin	0.056 / 0.168	20	N/A	ND	PASS
Phenothrin	0.016 / 0.047		N/A	ND	
Phosmet	0.007 / 0.020	0.2	N/A	ND	PASS
Piperonyl Butoxide	0.010 / 0.029	8	N/A	ND	PASS
Pirimicarb	0.003 / 0.009		N/A	ND	
Prallethrin	0.015 / 0.046	0.4	N/A	ND	PASS

Continued on next page









Pesticide Analysis Continued

PESTICIDE TEST RESULTS - 11/11/2024 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Propiconazole	0.027 / 0.080	20	N/A	ND	PASS
Propoxur	0.003 / 0.008	≥ LOD	N/A	ND	PASS
Pyraclostrobin	0.003/0.010		N/A	ND	
Pyrethrins	0.016/0.049	1	N/A	ND	PASS
Pyridaben	0.005/0.017	3	N/A	ND	PASS
Pyriproxyfen	0.003 / 0.009		N/A	ND	
Resmethrin	0.013/0.039		N/A	ND	
Spinetoram	0.003/0.010	3	N/A	ND	PASS
Spinosad	0.003/0.010	3	N/A	ND	PASS
Spirodiclofen	0.031/0.093		N/A	ND	
Spiromesifen	0.016 / 0.050	12	N/A	ND	PASS
Spirotetramat	0.003/0.010	13	N/A	ND	PASS
Spiroxamine	0.020 / 0.062	≥LOD	N/A	ND	PASS
Tebuconazole	0.003/0.010	2	N/A	ND	PASS
Tebufenozide	0.003 / 0.008		N/A	ND	
Teflubenzuron	0.007/0.022		N/A	ND	
Tetrachlorvinphos	0.003 / 0.008		N/A	ND	
Tetramethrin	0.021 / 0.063		N/A	ND	
Thiabendazole	0.006 / 0.020		N/A	ND	
Thiacloprid	0.003 / 0.009	≥LOD	N/A	ND	PASS
Thiamethoxam	0.003/0.010	4.5	N/A	ND	PASS
Thiophanate-methyl	0.013 / 0.040		N/A	ND	
Trifloxystrobin	0.003/0.009	30	N/A	ND	PASS